

U.S. Department of Transportation

National Highway Traffic Safety Administration

### Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

\*\*\* \*\*\* \*\*\*



UMTRI - 96 - 8 VERSION 05

> UM-3731-98 1998 Chevrolet Camaro

# In-depth Vehicle Occupant Report

The University
of Michigan
Transportation
Research Institute



### **DISCLAIMERS**

This document is disseminated under the sponsorship of the Department of Transportation in the interest of information exchange. The United States Government assumes no responsibility for the contents or use thereof.

The opinions, findings, and conclusions expressed in this publication are those of the authors and not necessarily those of the National Highway Traffic Safety Administration.

The crash investigation process is an inexact science which requires that physical evidence such as skid marks, vehicular damage measurements, and occupant contact points are coupled with the investigator's expert knowledge and experience of vehicle dynamics and occupant kinematics in order to determine the pre-crash, crash, and post-crash movements of involved vehicles and occupants.

Because each crash is a unique sequence of events, generalized conclusions cannot be made concerning the crashworthiness performance of the involved vehicle(s) or their safety systems.

Case Vehicle (A): 1998 Chevrolet Type: Camaro, 2-door coupe

Driver: 18-year-old male

CDC: 12-FRWN-3, 12-FZEW-1, 00-LDAO-2

### Situation

(Slide 1) Case vehicle (A) was traveling in the southbound lane of a straight section of a dry, asphalt, three-lane roadway, (slide 2, 3, 4) with a speed limit of 55 mph. The driver of case vehicle (A) reportedly fell asleep at the wheel and case vehicle (A) drifted off of the right shoulder as it approached a three-leg intersection. Case vehicle (A) struck a culvert, and impacted the embankment with its front end and the culvert with its right-front wheel. Case vehicle (A) then vaulted and rolled over 4 quarter turns before coming to rest on its wheels in a cornfield, southwest of the intersection, and facing east.

Using the WinSMASH accident-reconstruction program and (slides 5, 6, 7, 8, 9) c-values for case vehicle (A) the following impact severity was calculated for the frontal plane impact with the embankment:

		Calculated Velocity Change - kph (mph)			
Vehicle	Variable	Total	Longitudinal	Latitudinal	
Case Vehicle (A)	EBS	26 (16)	-26 (-16)	0 (0)	

### Exterior Damage

(Slides 10, 11, 12, 13, 14) Damage to case vehicle (A) was moderate. Direct-damage length from the frontal impact was 89 cm and began at the right-front bumper corner. Maximum crush was 24 cm and occurred at the right-front bumper corner. The front bumper, right headlight assembly, radiator, and both fenders were damaged. The right-front wheel was displaced 31-cm rearward, and this damage probably caused the airbag to deploy. The hood was damaged, and the hood latch released. Both of the hood hinges were damaged, the rear edge of the hood was elevated, but did not contact the windshield.

As a result of case vehicle (A) rolling over, the right upper A-pillar and left and right-upper B-pillars were damaged, and there was minor deformation of the right side of the windshield header with associated stress cracks in the windshield. The left quarter panel was crushed vertically and the left fiberglass outer door skin was missing from the vehicle. (Slides 15, 16, 17) The hatchback frame was torn from the vehicle and the rear window was shattered. The hatchback striker post mount separated from the body of the vehicle and was found attached to the latch.

### Interior Damage

(Slides 18, 19, 20, 21, 22, 23, 24) This vehicle was equipped with both steering-wheel and a passenger frontal-impact airbags, which deployed during the frontal impact. No damage was noted to the airbag skin or the module doors/flaps. (Slides 25, 26, 27, 28, 29) There was minor damage to the interior of the vehicle. The left-front armrest was dented from driver contact, the right-front floor pan was buckled, and both the side windows and the rear window were shattered.

The following intrusion was noted and measured:

Location	Component	Distance (cm)	Direction
Right front	Floor	10	Up

### Occupant Injuries and Kinematics

(Slides 30, 31) The 18-year-old male driver was reportedly wearing the available three-point belt and the airbag deployed. During the frontal impact, he moved forward and to the right relative to the vehicle and into the deploying airbag. (Slides 32, 33, 34, 35) He sustained a laceration over the right side of his forehead, possibly from contact with the roof/T-top. He sustained two 3-cm lacerations to the left elbow, and multiple superficial lacerations to the dorsal left hand and medial right humerus, probably from flying glass. He also sustained a lumbar strain due to impact forces.

(Slide 36) The attached table summarizes the injuries sustained by the driver.

Occupant: Driver Restraints: 3-point belt worn; airbag deployed

Age: 18 years Stature: 178 cm (5 ft 10 in)

Sex: Male Mass: 82 kg (180 lb)

	I		Injury Source	
Injury Description	A.I.S.	Definite	Probable	Possible
Laceration to the right side of forehead	1			Roof/T-top
Two 3-cm lacerations to the left elbow	1		Flying glass	
Multiple superficial lacerations to dorsal left hand	1		Flying glass	
Multiple superficial lacerations to right medial humerus	1		Flying glass	
Lumbar strain	1	Impact forces		
	}			
Maximum A.I.S. Level	1			
Injury Severity Score	2			

VERSION 05	996	ADMINISTRATIVE AD-1
TEAM CODE  ACCIDENT ID  VEHICLE NUMBER  MODULE	30 93731 1	NO. OF CASE VEHICLES IN ACCIDENT  NUMBER OF SLIDES  TEAM REPORT NUMBER
FORMAT FORM VERSION	0 1 11 0 5	$\frac{U_{18}M - 3731 - 98}{27}$
	L STUDY	99

DATE OF FIELD INVESTIGATION: 198
INVESTIGATOR:
LOCATION WHERE VEHICLE WAS EVALUATED:

**CIRCLE PHOTO RECORDS MADE:** 



(01) Offset Frontal (98) Not Applicable

**NEGATIVES** 

**POLAROIDS** 

REPORT PREPARED BY:

Duplicate columns 1-8 Module G   Format 0 from the previous card. 9 10 11	1 12	GENERAL INFORMATION	GI-1
TIME  DATE OF COLLISION / _ / / / / / / / / / / / / / _ / / / / / / / / / / / / / _ / / / / / / / / / / / / / _ / / / / / / / / / / / / / _ / _ / / / / / / / / / / / / / _ / _ / / _ / / _ /	_	ENVIRONMENTAL CONDITIONS  CONSTRUCTION ZONE  (0) NO (1) YES (9) UNKNOWN  ROAD ALIGNMENT VERTICAL PLANE	31
LOCATION STATE:  STATE FIPS CODE  AREA  (1) URBAN (2) RURAL (9) UNKNOWN	26 2 2 2	(1) LEVEL (2) CREST OF HILL (3) SLOPE (2%) (4) BOTTOM OF HILL (9) UNKNOWN  ROAD ALIGNMENT HORIZONTAL PLANE  (1) STRAIGHT (2) CURVE (3) T - SHAPED (4) Y - SHAPED (7) OTHER: (9) UNKNOWN	\frac{1}{\pi}
ENVIRONMENTAL CONDITIONS  LIMITED-ACCESS HIGHWAY  (0) NO  (1) YES  (9) UNKNOWN  ROAD, TOTAL TRAFFIC LANES  (FOR CASE VEHICLE)  (1) 1-LANE  (2) 2-LANES  (3) 3-LANES  (4) 4 OR MORE LANES  (5) DIVIDED, 4 OR MORE LANES	Φ <u>π</u>	SURFACE COVERING  (10) DRY  (21) WATER - DAMP (22) WATER - WET (23) WATER - PUDDLED (29) WATER - AMOUNT UNKNOWN  (31) SNOW - LOOSE (32) SNOW - PACKED (39) SNOW - CONDITION UNKNOWN  (41) ICE (51) SLUSH (61) SPILLED GRAVEL	10
(6) PARKING LOT/DRIVEWAY (7) OTHER: (9) UNKNOWN  INTERSECTING RD, TOTAL LANES CHOOSE FROM ABOVE LIST, OR (8) NOT APPLICABLE  TYPE OF ROAD SURFACE  (1) ASPHALT (2) CONCRETE (3) GRAVEL	<del>28</del> <del>1</del> <del>29</del>	(71) OTHER:	Õ
(4) MORE THAN ONE (CIRCLE EACH) (7) OTHER: (9) UNKNOWN  ROAD DEFECTS  (0) NO (1) YES (9) UNKNOWN	<u>\$\sqrt{\sq}\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqt{\sqrt{\sq}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}}</u>	VISIBILITY OBSTRUCTION (FOR CASE VEHICLE)  (0) NONE (1) BUILDING (2) SIGN (3) VEGETATION (E.G. BUSHES, SHRUBS) (4) TREE (5) HILL OR CURVE IN ROAD (6) VEHICLE IN TRANSPORT (7) OTHER: (8) PARKED VEHICLE (9) UNKNOWN	<u>an</u>

		GENERAL IN	NFORMATION GI-2
ENVIRONMENTAL CONDITIONS  SPEED LIMIT  (0) 5-45 km/h 5-25 mph (1) 46-55 30 (2) 56-60 35 (3) 61-70 40 (4) 71-79 45 (5) 80-85 50 (6) 86-90 55 (7) 91-105 60 (8) OVER 105 65 (9) UNKNOWN	6	ECHANICAL MALFUNC WAS THERE MENTION OF A MECHANICAL MA IN CASE VEHICLE  (0) NO (1) YES (2) YES, DID NOT CONTE TO ACCIDENT (9) UNKNOWN	LFUNCTION Q
PRECIPITATION  (0) NONE (1) RAIN (2) SNOW (3) HAIL (4) FREEZING RAIN/SLEET (7) OTHER: (9) UNKNOWN  RATE OF PRECIPITATION  (1) LIGHT/MIST (2) MODERATE (3) HEAVY (8) NOT APPLICABLE (9) UNKNOWN  TEMPERATURE  (0) BELOW -15° C BELOW 5° F (1) -15 TO -6 5 TO 22 (2) -5 TO -1 23 TO 31 (3) 0 TO 2 32 TO 36 (4) 3 TO 5 37 TO 41 (5) 6 TO 15 42 TO 59 (6) 16 TO 25 78 TO 95 (8) OVER 35 OVER 96 (9) UNKNOWN  CROSSWIND	OUT   SU   ELLI   OT	FOLLOWING SECTION SHOT IF A MECHANICAL MALFUN COGNIZED OR SUSPECTED.  CLE ITEMS INVOLVED. SUPMS CIRCLED WITH COMMEN  AKE SYSTEM HAUST SYSTEM EERING SYSTEM ECTRICAL SYSTEM ECTRICAL SYSTEM ROTTLE CONTROLS HER:	PORT ANY POR
(0) NONE (1) LIGHT (2) STRONG (3) GUSTY & STRONG (9) UNKNOWN  LIGHT CONDITIONS  (1) DAYLIGHT (2) DAWN (3) DUSK (4) DARK, LIGHTED (5) DARK, UNLIGHTED (6) DARK, UNKNOWN IF LIGHTED (9) UNKNOWN	5		

		GENERAL INFORMATION	GI-3
CRASH DETAILS  CASE VEHICLE AND OBJECT  (0) NO (1) YES (9) UNKNOWN	45	HIGHEST POLICE INJURY SEVERITY CODE IN CRASH (NOT JUST CASE VEHICLE)  (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING INJURY (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN	
CASE VEHICLE ROLLOVER  (0) NO ROLLOVER (1) YES, FIRST EVENT (2) YES, SUBSEQUENT EVENT (3) YES, SEQUENCE UNKNOWN (9) UNKNOWN	2 46	(6) DIED PRIOR TO ACCIDENT (7) NON-FATAL INJURY SEVERITY UNKNOWN (9) UNKNOWN  DRIVER IMPAIRMENT	2 53
CASE VEHICLE RAN OFF ROADWAY (BEFORE FIRST IMPACT)  (0) NO (1) YES (9) UNKNOWN	1 47	DRIVER ALCOHOL INVOLVEMENT (CASE VEHICLE)  (0) NONE (1) YES (9) UNKNOWN/NOT REPORTED/ NO DRIVER	<u>Ø</u>
MOVING CASE VEHICLE AND CONTACTED MOVING VEHICLE  (0) NO (1) YES (9) UNKNOWN	<u>Q</u>	DRIVER ALCOHOL BAC (CASE VEHICLE)  (80) NO TEST (90) CHEMICAL TESTS, NO RESULTS (95) AUTOPSY, NO RESULTS (99) UNKNOWN	. <u>8</u> 0
CASE VEHICLE AND CONTACTED STOPPED VEHICLE  (0) NO (1) YES (9) UNKNOWN	<u>Q</u>	WAS THERE MENTION OF DRIVER IMPAIRMENT FOR CASE VEHICLE?  (0) NO (1) YES (9) UNKNOWN	<u></u>
STOPPED CASE VEHICLE AND CONTACTED VEHICLE  (0) NO (1) YES (9) UNKNOWN	٣	LIST IMPAIRMENTS MENTIO	NED: 
TOTAL NUMBER OF VEHICLES CONTACTED BY CASE VEHICLE IN CRASH  (8) 8 OR MORE (9) UNKNOWN	<u>•</u>	Post - Crash Detail  Manner case vehicle LEFT SCENE	
ANY FIRE IN THIS CRASH (NOT JUST CASE VEHICLE)  (0) NO (1) YES (9) UNKNOWN	<b>Q</b>	(1) DRIVEN (2) TOWED DUE TO DAMAGE (3) TOWED, NOT DUE TO DAMAGE (4) TOWED, REASON UNKNOWN (9) UNKNOWN	2 50

# ACCIDENT SCHEMATIC

ACCIDENT DESCRIPTION: Case vehicle (A) was traveling southbound. The CASE VEHICLE (A): 1998 Chevrolet Came driver reportedly fell ashep, and case vehicle (A) drifted off of the OTHER VEHICLE (B): N/A right shoulder as it approached a 3-leg intersection. (ase vehicle (A) THIRD VEHICLE (C): N/A  Struck a culvert and impacted the embankment with its front end and the culvert with its right front who Case vehicle (A) then vaulted and rolled over 4-quarter turns before coming towest on its wheels in a cornfield, south west-of the intersection, and facing east	<b>4</b>
Corn field Culvert	
Gouge in turf	
Paved	<b>▼</b> A1
	Paved
Not posted 55 mph	

Duplicate columns 1-8 Module O V Format 0 1 1 12	OTHER VEHICLE OV-1
MAKE:	CARGO:
MODEL:	
VIN	
VIN	
MANUFAC/BODY CODE	VEHICLE TYPE
MAKE/MODEL CODE	PASSENGER VEHICLE (02) LARGE (03) LIMOUSINE (17) PICKUP CAR (20) UNKNOWN PASSENGER VEHICLE BODY
MODEL YEAR NOT APPLICABLE 1 9	(24) SUB-MINI (25) MINI (26) SUB-COMPACT (27) COMPACT (28) INTERMEDIATE
VEHICLE MASS (kg)	(29) FULL
IF SEPARATE REPORT WAS MADE, GIVE VEHICLE NUMBER	MULTIPURPOSE PASSENGER VEHICLE (14) SMALL UTILITY (WHEELBASE LESS THAN 107', E.G. JEEP, BRONCO) (15) LARGE UTILITY (WHEELBASE MORE THAN 107', E.G. PANEL TRUCK SUBURBAN)
NUMBER OF OCCUPANTS (ENTER 9'S IF UNKNOWN) 49	(16) PICKUP TRUCK WITH CANOPY/SHELL COVER (17) PICKUP CAR WITH CANOPY/SHELL COVER (21) MOTOR HOME (22) PICKUP TRUCK WITH SUDE-IN CAMPER (23) PICKUP CAR WITH SUDE-IN CAMPER (31) CHASSIS-MOUNTED CAMPER
TRAVELING SPEED (km/h)	TRUCK
(000) PARKED OR STOPPED (995) JUST STARTING UP (996) BACKING UP (997) SPEED NOT EXCESSIVE (BUT UNKNOWN) (998) SPEED EXCESSIVE (BUT UNKNOWN) (999) UNKNOWN	TRUCK (11) VAN (12) PICKUP TRUCK (13) UNKNOWN LIGHT TRUCK (15) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN) (16) PICKUP TRUCK WITH CANOPY/SHELL COVER (22) PICKUP TRUCK WITH SLIDE-IN CAMPER (30) UNKNOWN TRUCK TYPE (31) CHASSIS-MOUNTED CAMPER (33) DELIVERY VAN (WALK-IN)
HIGHEST POLICE INJURY SEVERITY CODE FOR THIS VEHICLE	(34) STRAIGHT TRUCK (35) TRUCK-TRACTOR (BOBTAIL) (36) CHASSIS-CAB (37) UNKNOWN HEAVY TRUCK (38) TRACTOR & SEMI-TRAILER (SEMI)
(0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING INJURY (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO ACCIDENT (7) NON-FATAL INJURY SEVERITY UNKNOWN (8) UNOCCUPIED VEHICLE (NOT APPLICABLE) (9) UNKNOWN	(39) TRUCK (OR SEMI) & FULL TRAILER(S)  BUS  (40) UNKNOWN BUS TYPE  (41) SCHOOL BUS  (42) INTERCITY BUS (BETWEEN CITIES)  (43) TRANSIT BUS (INTRACITY)  (44) STREETCAR (ON TRACKS)  (68) TRAIN (CARS)  (69) LOCOMOTIVE (ENGINE, SWITCHER)
; • • •	(99) UNKNOWN  WHEELBASE (cm) (999) UNKNOWN  56 57 56

Duplicate columns 1-8 from the previous card.	Module O V	Format 0 2	OTHER	VEHICLE OV-2
		ORIGINAL SPEC	IFICATIONS	
Wheelbase		cm	Front Overhang	cm
Curb Weight		kg	Rear Overhang	cm
Average Track Width	13 - 15	cm	Undeformed End Width (UEW)	cm
Overall Length	16 - 18	cm	Engine Displacement	31 · 32 L
Overall Width (OAW)	19 21	cm	Engine: # of Cylinders	33 34

### VEHICLE DAMAGE

# NOT APPLICABLE


FRONTAL CR	ASH OVERLAP	
Round up for .5. 98 = 98% or more Enter % overlap or "99" for missing or N/A.	Direct Damage Length (DDL)	35 cm
Front-End Overlap (Percent) = DDL UEW		38 39 %
Vehicle Overlap (Percent) = DDL + 1/2 (OAW - UE OAW	<u>w</u>	40 41

MAKE: Chevrolet CARGO:	
MODEL: Camaro T-Top	
VIN 13	<b>5</b>
MANUFAC/BODY CODE $\frac{1}{30}$ $\frac{1}{3}$ $\frac{3}{3}$ STOLEN VEHICLE	
MAKE/MODEL CODE     (0) NO (1) YES (8) NOT COLLECTED (9) UNKNOWN	<u>8</u>
MODEL YEAR 1 9 9 8	
VEHICLE MASS (kg) $0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0$	2
(ENTER 9'S IF UNKNOWN)  (ENTER 8'S IF ELECTRONIC)  (3) INTEGRAL-STUB FRAME  (4) BODY & PLATFORM FRAME  (E.G. VW BUG)	• •
(ENTER 9'S IF UNKNOWN) 54 (7) OTHER:	
TRAVELING SPEED (km/n)	- 02
VEHICLE TYPE LOCATION OF TRANSMISSION	
PASSENGER VEHICLE (11) 2-DOOR HARDTOP (NO UPPER B-PILLAR) (12) 2-DOOR SEDAN OR COUPE (ANY UPPER B-PILLAR) (13) 4-DOOR HARDTOP (14) 4-DOOR SEDAN (15) STATION WAGON (16) CONVERTIBLE (18) OTHER PASS. VEH.: (19) PASSENGER VEHICLE, TYPE UNKNOWN  SELECTOR LEVER (1) FLOOR (2) CONSOLE (3) COLUMN (7) OTHER: (9) UNKNOWN	کے
MULTIPURPOSE PASSENGER VEHICLE STEERING (21) SMALL UTILITY (E.G. JEEP, SCOUT, BRONCO)	)
(22) LARGE UTILITY (E.G. PANEL TRUCK SUBURBAN) (23) VAN, SIZE UNKNOWN (24) VAN, SMALL (MINI) (25) VAN, LARGE (29) MPV, TYPE UNKNOWN (30) MOTOR HOME	64
TRUCK (31) PICKUP TRUCK, UNKNOWN (32) PICKUP TRUCK, SMALL (DOWNSIZED) (33) PICKUP TRUCK, LARGE (34) PICKUP TRUCK, LARGE (2) MANUAL (9) UNKNOWN	65

		VEHICLE DESCRIPTION VD-2
TYPE OF BRAKES  (1) DRUM, ALL WHEELS (2) DISC, FRONT WHEELS (3) DISC, ALL WHEELS (9) UNKNOWN	2 66	WHEELBASE (cm) (999) Unknown
BRAKE ANTI-LOCK DEVICE  (0) NONE INSTALLED (1) TWO-WHEEL (2) FOUR-WHEEL (7) EQUIPPED, UNKNOWN WHEELS (9) UNKNOWN	2 57	PLASTIC ANTI-LACERATIVE INNER LAYER GLASS EQUIPPED  (0) NONE (1) WINDSHIELD (2) WINDSHIELD AND SIDE (7) OTHER
AIR CONDITIONING IN VEHICLE  (0) NO (1) YES (8) NOT COLLECTED (9) UNKNOWN	8 68	(9) UNKNOWN
TYPE OF DRIVE  (1) REAR WHEEL (2) FRONT WHEEL (3) FOUR WHEEL (4) ALL WHEEL DRIVE (9) UNKNOWN	69	FIELD INVESTIGATOR INSTRUCTIONS:  1. INDICATE CRUSHED AREAS BY <u>OUT-LINING NEW PERIMETER</u> OF VEHICLE AND <u>SHADING THE DAMAGED AREAS</u> ON THE LARGE SKETCH ON PAGE VD-3.
DUAL REAR WHEELS  (0) NO (1) YES (9) UNKNOWN	70	USE AS MANY SKETCHES AS NECESSARY TO COMPLETELY DESCRIBE THE DAMAGE.  2. ENTER THE DIMENSIONS ON THE SKETCH(ES) MEASURED TO THE POINT OF MAXIMUM PENETRATION BY THE OBJECT(S) CONTACTED. USE THE EXAMPLES BELOW AS A GUIDE.
ORIGINAL TYPE OF RESTRAINT SYSTEM  (1) ACTIVE BELT (2) PASSIVE BELT (3) AIRBAG (4) KNEE BOLSTERS (7) OTHER: (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN	3,	3. ENTER THE THREE DIMENSIONS TO THE CENTER OF THE WHEELS (WHEELBASE, FRONT AND REAR OVERHANGS) ON BOTH SIDES OF THE CAR.  4. ADD OTHER DIMENSIONS AS NECESSARY TO COMPLETELY DESCRIBE THE DAMAGE.  EXAMPLES:
EQUIPPED WITH ROLL BAR  (0) NO (1) YES (9) UNKNOWN	<u>Ø</u>	FRONT OR REAR
TYPE OF ROOF  (0) NONE (1) SOLID (2) T-TOP CLOSED (3) T-TOP OPEN (4) SUN ROOF CLOSED (5) SUN ROOF OPEN (6) CONVERTIBLE CLOSED (7) CONVERTIBLE OPEN (8) OTHER: (9) UNKNOWN	2 73	ROOF (REFERENCE TO TOP OF DOOR SILL OR WINDOW SILL)

Duplicate columns 1-8 from the previous card.	Module V D Format 0 2 11 12	VEHICLE DESCRIPTION VD-	.3
		PECIFICATIONS	
Wheelbase	257 cm	Front Overhang $\frac{1}{2}$ $\frac{1}{2}$ cm	
Curb Weight	_1566 kg	Rear Overhang	
Average Track Width	$\frac{1}{13} \frac{5}{5} \frac{4}{15}$ cm	Undeformed End Width (UEW) $\frac{1}{28}$ $\frac{4}{9}$ $\frac{6}{30}$ cm	
Overall Length	49 / cm	Engine Displacement $\frac{3}{31} \cdot \frac{8}{32}$	
Overall Width (OAW)	$\frac{1}{19} \frac{8}{9} \frac{9}{21}$ cm	Engine: # of Cylinders $\frac{\cancel{0}}{\cancel{3}} \frac{\cancel{6}}{\cancel{3}}$	

### **VEHICLE DAMAGE**



### FRONTAL CRASH OVERLAP

Round up for .5. 98 = 98% or more Enter % overlap or "99" for missing or N/A.

Direct Damage Length (DDL)

 $\frac{\cancel{0}}{\cancel{35}} \, \frac{\cancel{8}}{\cancel{9}} \, \frac{\cancel{9}}{\cancel{37}} \, \text{cm}$ 

Front-End Overlap (Percent) = DDL UEW

<u>b</u>1\_%

Vehicle Overlap (Percent) = DDL + 1/2 (OAW - UEW)
OAW

5 2 %

Duplicate columns 1-8 from the previous card.  Module D A	Format 0 2	DAMAGE DA-1
PRIMARY	CASE VEHICLE PRIMARY CDC	CONTACTED VEHICLE ASSOCIATED CDC
EVENT NUMBER		Q Q Q
IMPACT SPEED (km/h)	$\frac{9}{14} \frac{9}{15} \frac{9}{16}$	$\frac{9}{35} \frac{9}{36} \frac{8}{37}$
ESTIMATED BY	17	<u>8</u>
CRUSH (cm)		$\frac{9}{39} \frac{9}{40} \frac{8}{41}$
CDC #1	12. FRWN. 3	$\frac{9}{4}  \underline{\$}  \underline{\emptyset}  \underline{\emptyset}  \underline{\emptyset}  \underline{\emptyset}  \underline{\emptyset}  \underline{\emptyset}$
CDC #2	12.FZEW.1	$\frac{9}{49} \frac{8}{8} \cdot \cancel{Q} \cancel{Q} \cancel{Q} \cancel{Q} \cancel{Q} \cdot \underbrace{\cancel{Q}}_{55}$
Duplicate columns 1-8 from the previous card.  Module D A 10  SECONDARY	CASE VEHICLE SECONDARY CDC	CONTACTED VEHICLE ASSOCIATED CDC
	a	
EVENT NUMBER	ବ୍ର ବି	998
IMPACT SPEED (km/h)	14 15 16	35 36 37 Q
ESTIMATED BY	777	$\frac{3}{38}$
CRUSH (cm)	$ \underline{O}_{18} \underline{O}_{3} $	39 40 B
CDC #1	<u>Q</u> Q.LDAO.2	98.0000.0
CDC #2	$\frac{9}{2}$ $\frac{8}{2}$ . $\mathcal{Q}\mathcal{Q}\mathcal{Q}\mathcal{Q}\mathcal{Q}\mathcal{Q}\mathcal{Q}\mathcal{Q}\mathcal{Q}\mathcal{Q}$	9 8 . O O O O . d
Codes		
	IMPACT SPEED ESTIMATOR	CRUSH
(8) NOT APPLICABL (9) UNKNOWN	E (1) INVESTIGATOR (2) DRIVER (3) POLICE	(998) NOT APPLICABLE (NO VEHICLE/DAMAGE) (999) UNKNOWN
IMPACT SPEED	(4) *CRASH* PROGRAM (5) OTHER COMPUTER PROGRAM	CDC
(998) NOT APPLICA (999) UNKNOWN	BLE SPECIFY:	(9800000) NOT APPLICABLE (9900000) UNKNOWN

Duplicate columns 1-8 Mo from the previous card.	odule <u>D</u> <u>A</u> Format <u>0</u> <u>1</u>		DAMAGE DA-2
and the second s	MAXIMUM SHEE	ET METAL CRUSH	
	(cm) (999	9) UNKNOWN	
FRONT _	Ø 2 4 15	RIGHT SIDE	$\frac{\emptyset}{16}$ $\frac{3}{18}$
REAR	<u>Ø</u> <u>Ø</u> <u>Ø</u>	LEFT SIDE	$ \underline{Q} $ $ \underline{Q} $ $ \underline{Q} $
ROOF (	$ \underbrace{0}_{25} $	OTHER	$ \underbrace{\mathcal{O}}_{\mathbf{zs}} \underbrace{\mathcal{O}}_{\mathbf{zo}} \underbrace{\mathcal{O}}_{\mathbf{zo}} $
		<u>-</u>	
		CAL SEQUENCE	
	OF DAMAGE/INJURY PRO		S
	FOR CASE	EVEHICLE	
IS UNKNOW ORDER IS C		DO YOU KNOW THI TO BE IN CHRONOI (0) NO (1) YES	LOGICAL ORDER?
EVENT NUMBER	IMPACT LOCATION	IMPACT CONFIGURATION	OBJECT/VEHICLE CONTACTED
	(1) ON ROADWAY (2) SHOULDER/MEDIAN/GORE (3) ON ROADSIDE (4) OUTSIDE ROADSIDE RIGHT-OF-WAY (5) OTHER (6) OFF ROADWAY, LOC. UNK. (9) UNKNOWN	FOR CODES, SEE TABLE ON PAGE DA-3.	FOR CODES, SEE TABLE ON PAGE DA-4.
# 1	2	17	82
#2	<del>2</del> <del>4</del> <del>3</del> <del>1</del>	6 2	8 4
			1
#3	42	. — —	46
	42	44	<del></del>
#3			
#3 #4	47	49	— <del>_</del> 51

DA-3 DAMAGE

### CODES FOR IMPACT CONFIGURATION

### **FRONT OF CASE VEHICLE**

- (11) AND FRONT OF CONTACTED VEHICLE
- (13) AND SIDE OF CONTACTED VEHICLE
- (14) AND REAR OF CONTACTED VEHICLE
- (16) ENDSWIPED BY CONTACTED VEHICLE
- (17) AND OBJECT
- (19) AND UNKNOWN OTHER VEHICLE CONFIGURATION

### LEFT SIDE OF CASE VEHICLE

- (21) AND <u>FRONT</u> OF CONTACTED VEHICLE (TYPE T) (22) AND <u>FRONT</u> OF CONTACTED VEHICLE (TYPE L)
- (23) AND SIDE OF CONTACTED VEHICLE (NOT SIDESWIPE)
- (24) AND REAR OF CONTACTED VEHICLE (TYPE T)
  (25) AND REAR OF CONTACTED VEHICLE (TYPE L)
- (26) SIDESWIPED BY CONTACTED VEHICLE
- (27) AND OBJECT
- (29) AND UNKNOWN OTHER VEHICLE CONFIGURATION

### **REAR OF CASE VEHICLE**

- (31) AND FRONT OF CONTACTED VEHICLE
- (33) AND SIDE OF CONTACTED VEHICLE
- (34) AND REAR OF CONTACTED VEHICLE
- (36) ENDSWIPED BY CONTACTED VEHICLE
- (37) AND OBJECT
- (39) AND UNKNOWN OTHER VEHICLE CONFIGURATION

### RIGHT SIDE OF CASE VEHICLE

- (41) AND FRONT OF CONTACTED VEHICLE (TYPE T)
- (42) AND FRONT OF CONTACTED VEHICLE (TYPE L)
- (43) AND SIDE OF CONTACTED VEHICLE (NOT SIDESWIPE)
- (44) AND REAR OF CONTACTED VEHICLE (TYPE T) (45) AND REAR OF CONTACTED VEHICLE (TYPE L)
- (46) SIDESWIPED BY CONTACTED VEHICLE
- (47) AND OBJECT
- (49) AND UNKNOWN OTHER VEHICLE CONFIGURATION

### OTHER

- (57) VEHICLE TO OBJECT
- (58) VEHICLE TO VEHICLE
- (59) VEHICLE TO VEHICLE, CONFIGURATION UNKNOWN

### ROLLOVER

- (61) LESS THAN 360°
- (62) 360° OR MORE
- (69) DETAILS UNKNOWN

### **UNKNOWN**

(99) IMPACT TYPE UNKNOWN

### DAMAGE DA-4

### CODES FOR VEHICLE/OBJECT CONTACTED

### **VEHICLE/OBJECT GROUPS** BUS NO OBJECT (40) UNKNOWN BUS TYPE (00) (01) - (39) PASSENGER VEHICLE & TRUCK (41) SCHOOL BUS (40) - (69) OTHER VEHICLE (42) INTERCITY BUS (BETWEEN CITIES) (70) - (76) PEDESTRIAN & ON-ROADWAY OBJECT (43) TRANSIT BUS (INTRACITY) (77) - (97) OFF-ROADWAY OBJECT (44) STREETCAR (ON TRACKS) OTHER (DESCRIBE) (99) **UNKNOWN** MOTORCYCLE (50) UNKNOWN MOTORCYCLE TYPE (51) 1 - 75 cc (52) 76 - 125 cc PASSENGER VEHICLE (02) LARGE (03) LIMOUSINE (53) 126 - 250 cc (17) PICKUP (54) 251 - 500 cc (20) UNKNOWN PASSENGER VEHICLE BODY (55) 501 - 750 cc (24) SUB-MINI (56) 751 ∞ + (57) 3-WHEELS (OR WITH SIDECAR) (25) MINI (26) SUB-COMPACT (27) COMPACT SPECIAL PURPOSE VEHICLE (60) UNKNOWN/OTHER SPECIAL VEHICLE (DESCRIBE) (28) INTERMEDIATE (29) FULL (61) SNOWMOBILE (62) ATV (ALL TERRAIN VEHICLE) (63) AMPHIBIOUS VEHICLE (64) FARM VEHICLE SIZE **WHEELBASE** (65) CONSTRUCTION VEHICLE (66) TRAILER, PRIVATE (CAMPER) SUB-MINE < 2286 mm ( < 90°) (67) TRAILER, COMMERCIAL (CARGO) MINI 2286 - 2412 mm (90° - 94.9°) SUB-COMPACT 2413 - 2539 mm (95° - 99.9°) (68) TRAIN (CARS) 2540 - 2666 mm (100° - 104.9°) (69) LOCOMOTIVE (ENGINE, SWITCHER) COMPACT INTERMEDIATE 2667 - 2793 mm (105" - 109.9") 2794 - 2920 mm (110° - 114.9°) FULL **OBJECT** LARGE 2921 - 3174 mm (115" - 124.9") (70) PEDESTRIAN LIMOUSINE > 3175 mm ( > 125°) (71) BICYCLIST, OTHER PEDALCYCLIST (72) PEDESTRIAN CONVEYANCE (E.G. PERSON RIDING MULTIPURPOSE PASSENGER VEHICLE ANIMAL, CART) (11) SMALL VAN (MINI) (73) LARGE ANIMAL (12) PICKUP (74) FALLEN OBJECT (E.G. OBJECT DISLODGED FROM OTHER VEHICLE, FALLEN TREE, ROCKS) (14) SMALL UTILITY (WHEELBASE LESS THAN 107", (75) ROCKS E.G. JEEP, BRONCO) (76) CONSTRUCTION EQUIPMENT (EXCLUDING (65)) (15) LARGE UTILITY IWHEELBASE MORE THAN 107". E.G. PANEL TRUCK, SUBURBAN) (77) SIGN POST, UTILITY POLE, TREE .. (16) PICKUP TRUCK WITH CANOPY/SHELL COVER (78) DITCH (17) PICKUP CAR WITH CANOPY/SHELL COVER (79) EMBANKMENT, SNOWBANK, RR TRACKS RR X (21) MOTOR HOME (80) GROUND (ROLLOVER ONLY) (22) PICKUP TRUCK WITH SLIDE-IN CAMPER (81) CURB (DAMAGE PRODUCING IMPACTS ONLY) (23) PICKUP CAR WITH SLIDE-IN CAMPER (82) CULVERT (31) CHASSIS-MOUNTED CAMPER (83) FENCE (84) HYDRANT, SHORT POST, STUMP (85) SMALL POST/TREE, RURAL MAIL BOX, MILE TRUCK MARKER, DELINEATOR (11) SMALL VAN (E.G. ECONOLINE) (86) BUILDING (12) PICKUP TRUCK (87) PIER, PILLAR, BRIDGE SUPPORT (13) UNKNOWN LIGHT TRUCK (88) ABUTMENT, RETAINING WALL (15) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN) (89) BRIDGE RAIL (16) PICKUP TRUCK WITH CANOPY/SHELL COVER (90) GUARD RAIL, LEADING SECTION (91) GUARD RAIL, MIDDLE OR UNKNOWN (92) GUARD RAIL, TRAILING SECTION (93) GUARD POST (TIMBER, METAL, CONCRETE) (22) PICKUP TRUCK WITH SLIDE-IN CAMPER (30) UNKNOWN TRUCK TYPE (31) CHASSIS-MOUNTED CAMPER (33) DELIVERY VAN (WALK-IN) (34) STRAIGHT TRUCK (94) CABLE, FENCE BARRIER (95) CONCRETE BARRIER (MEDIAN)

(96) IMPACT ATTENUATOR

(97) BREAKAWAY FEATURES

(35) TRUCK-TRACTOR (BOBTAIL)

(37) UNKNOWN HEAVY TRUCK (38) TRACTOR & SEMI-TRAILER (SEMI) (39) TRUCK (OR SEMI) & FULL TRAILER(S)

(36) CHASSIS-CAB

Duplicate columns 1-8 Module C F from the previous card. 9 10			rΔV				
	CASE VEHICLE P		CASE VEHICLE SECONDARY IMPACT				
	CASE VEHICLE	CONTACTED VEHICLE	CASE VEHICLE	CONTACTED VEHICLE			
EVENT NUMBER	13	-	47				
ΔV (km/h) TOTAL	$\frac{9}{14} \frac{9}{15} \frac{9}{16}$	$\frac{8}{32}\frac{8}{33}\frac{8}{34}$	48 49 50	66 67 68			
LONGITUDINAL*	$\frac{9}{17} \frac{9}{9} \frac{9}{9} \frac{9}{20}$	$\frac{8}{8} \frac{8}{8} \frac{8}{8}$	51 54	69 7			
LATERAL*	9999	8888					
*NOTE: THESE AV COMPONENTS MUST INCLUDE SIGN.	21 24	39 42	55 58	73 7			
EXAMPLES: 10 km/h = ± <u>0</u> 1 <u>0</u> -7 km/h = <u>:</u> <u>0</u> <u>0</u> <u>7</u>							
ENERGY DISSIPATED BY CRUSH (kj)	9999	8888	59 62	<del>77</del> — — 6			
RECONSTRUCTION							
(01) RECONSTRUCTED, UNKNOWN CONFIDENCE LEVEL	$Q_{\frac{2}{30}}$		63 64				
(21) RECONSTRUCTED, LOW CONFIDENCE LEVEL (22) RECONSTRUCTED, MODERATE	29 30		<b>.</b> .				
CONFIDENCE LEVEL (23) RECONSTRUCTED, HIGH CONFIDENCE LEVEL							
NOT RECONSTRUCTED BECAUSE							
(02) INSUFFICIENT DATA (03) EXCESSIVE UNDERRIDE/ OVERRIDE (04) ROLLOVER (05) NALITING			,				
(05) VAULTING (06) OTHER TRAVEL IN MORE THAN ONE PLANE (07) NON-HORIZONTAL FORCE							
(08) SIDESWIPE-TYPE DAMAGE (09) YIELDING OBJECT (10) OTHER: (11) AT LEAST ONE VEHICLE BEYOND SCOPE		,		·`			
(12) OTHER VEHICLE NOT INSPECTED							
MODE  (1) CDC ONLY	7						
(1) CDC ONLY (2) CDC & DETAILED DAMAGE (3) TRAJECTORY & CDC (4) TRAJECTORY & CDC & DETAILED DAMAGE (5) NOT RECONSTRUCTED	31		65				
COMPUTER PROGRAM SPECIFY:			'				

Duplicate columns 1-8 from the previous card.  Module C R 9 10	Format 0 2		H RECONSTRUCT EBS	TION CR-2
	CASE VEHICLE P	RIMARY IMPACT	CASE VEHICLE SEC	CONDARY IMPACT
	CASE VEHICLE	CONTACTED VEHICLE	CASE VEHICLE	CONTACTED VEHICLE
EVENT NUMBER	13		47	
EBS (km/h) TOTAL	<u>Q</u> 26	$\frac{\cancel{8}}{\cancel{8}} \frac{\cancel{8}}{\cancel{8}} \frac{\cancel{8}}{\cancel{8}}$	48 49 50	66 67 68
LONGITUDINAL	$\frac{-}{17}$ $\emptyset$ $\frac{6}{20}$	32 8 8 8 8	51 - 54	<del></del>
LATERAL*	<u>+000</u>	8888	55 58	73
NOTE: THESE EBS COMPONENTS MUST INCLUDE SIGN.	21 24	39 42	55 58	73
EXAMPLES: 10 km/h = ± <u>0</u> 1 <u>0</u> -7 km/h = <u>:</u> <u>0</u> <u>0</u> <u>7</u>				
ENERGY DISSIPATED BY CRUSH (kj)		<u>8888</u>	59 62	<del></del>
RECONSTRUCTION	41,880			
(01) RECONSTRUCTED, UNKNOWN CONFIDENCE LEVEL	$\frac{21}{20}$		<del></del>	
(21) RECONSTRUCTED, LOW CONFIDENCE LEVEL (22) RECONSTRUCTED, MODERATE CONFIDENCE LEVEL (23) RECONSTRUCTED, HIGH CONFIDENCE LEVEL	25 33			
NOT RECONSTRUCTED BECAUSE		;		_
(02) INSUFFICIENT DATA (03) EXCESSIVE UNDERRIDE/ OVERRIDE (04) ROLLOVER (05) VAULTING (06) OTHER TRAVEL IN MORE THAN ONE PLANE (07) NON-HORIZONTAL FORCE (08) SIDESWIPE-TYPE DAMAGE (09) YIELDING OBJECT (10) OTHER: (11) AT'LEAST ONE VEHICLE BEYOND SCOPE (12) OTHER VEHICLE NOT				
INSPECTED MODE		·		
(1) CDC ONLY (2) CDC & DETAILED DAMAGE (3) TRAJECTORY & CDC (4) TRAJECTORY & CDC & DETAILED DAMAGE (5) NOT RECONSTRUCTED	<u>2</u>		65	
COMPUTER PROGRAM SPECIFY: WINSMASH			·	

	te columns 1-8 previous card.	Module <u>C</u>	R_Format	0 3	-	С	RASH F	RECON	STRUCT	TION	CR-3
NOTES	NOTES:  1. ENTER CRASH RECONSTRUCTION DAMAGE MEASUREMENTS IN <u>CENTIMETERS</u> .  2. MEASURE C <sub>1</sub> TO C <sub>6</sub> FROM DRIVER TO PASSENGER SIDE IN FRONT OR REAR  CASE VEHICLE										
			RONT IN SIDE IN							LOCATO	OR
-			SURED TO A PO			THE RI	GHT OF TH	E CG.			
			THE WHEELBA								
Locate the end of the damage with respect to the vehicle longitudinal center line, or an undamaged axle for side impacts.											
Specific	Impact No.		Location of [	Direct Dar	mage			Locat	ion of Fi	eld L	
		Benins	<b>B</b> front	bume	per Corne	- 1	3.c. 4	b B.C	•		• 12
		3									
PLANE: (1) Bumper (2) Above Bumper (3) Sill (4) Above Sill (5) Other (9) Unknown  CRUSH PROFILE IN CENTIMETERS						7	d line.				
Specific Impact Number	Plane of Impact C-Measur.	Length (DDL)	Damage Max Crush	Field	C <sub>1</sub>	C <sub>2</sub>	C <sub>3</sub>	C <sub>4</sub>	C <sub>5</sub>	   C <sub>6</sub>	±D
Number	Bumper	·		103	38	<u> </u>	33	33	34	40	+25
	Freespace				-30 -	15	- 9	- 9	-15	-30	
	1. CO.					<u> </u>					
		<u> </u>				•	<u></u> !				
	·			<del></del>		<u> </u>	!				
1	!	<b>M</b> 1 0	0.14	1 - 2			1				
13	14	15 16 17	18 19 20	2: 22 23	24 25 26 27	218	30 31 32	0 24 33 34 35	36 37 38	0 i 0	42 43 44 45
			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		24 25 20 27	20 29	30 31 32	33 34 35	30 3/ 30	39 40 41	42 43 44 45
	1				. :		j				
	i I			<del></del>	. · i		i I				
	<u>i</u>		·		!						
2	!										İ

	columns 1-8 revious card.	Module <u>C</u>	R Format	0 4		Cı	RASH R	ECONS	TRUCTI	ON	CR-4
NOTES:	1. ENTER CRASH RECONSTRUCTION DAMAGE MEASUREMENTS IN CENTIMETERS.  2. MEASURE C <sub>1</sub> TO C <sub>6</sub> FROM DRIVER TO PASSENGER SIDE IN FRONT OR REAR IMPACTS, REAR TO FRONT IN SIDE IMPACTS.  3. D IS POSITIVE IF MEASURED TO A POINT FORWARD OF OR TO THE RIGHT OF THE CG.  4. USE THE CENTER OF THE WHEELBASE AS THE CG.  LOCATE the end of the damage with respect to the vehicle longitudinal center line, or an undamaged axle for side impacts.										
Specific Impact No. Location of Direct Damage Location of Field L											
- F	•		·····						•		
			· · · · · · · · · · · · · · · · · · ·								
										•	
PLANE:  (1) Bumper (2) Above Bumper (3) Sill (4) Above Sill (5) Other (9) Unknown  CRUSH PROFILE IN CENTIMETERS  NOTE: Each line in the table below is a separate record (card).  DL  UDL  CRUSH PROFILE IN CENTIMETERS  Duplicate columns 1 - 12 for each completed line.							d line.				
Specific Impact	Plane of Impact	Direct Length	Damage Max	Field	C <sub>1</sub>	C <sub>2</sub>	C <sub>3</sub>	C <sub>4</sub>	C <sub>5</sub>	C <sub>6</sub>	±D
Number	C-Measur.	Length (DDL)	Crush	Ĺ	•	-		7			
	1										
1					`						
13	14	15 16 17	18 19 20	21 22 23	24 25 26	27 28 29	30 31 32	33 34 35	36 37 38	39 40 41	42 43 44 45
				İ							
2					121						

Duplicate columns 1-8 from the previous card.  Module W T I	Format <u>0</u>		WHEELS AND TIRES WT-
WHEELSDAMAGED  (0) NO (1) YES (9) UNKNOWN	LF RF RR LR		SIZE (NOT DOT CODE. IF UNKNOWN, USE 9'S)  LF P 3 5 5 5 R 1 6  RF P 3 3 5 5 5 R 1 6  RR P 3 3 5 5 5 R 1 6
TIRE TREAD TYPE  (1) REGULAR (2) SNOW (3) SLICKS (4) ALL WEATHER (MS) (7) OTHER: (9) UNKNOWN	LĘ RF RR LR	4 4 4 4 2	LR P23555R16_
CARCASS CONSTRUCTION  (1) BIAS (2) BELTED BIAS (3) RADIAL (4) ELLIPTICAL (5) HI PRESSURE SPARE (6) SPACE SAVER SPARE (7) OTHER: (9) UNKNOWN	LF RF RR	ろ  <sup>2</sup> ろ	
IF VEHICLE IS EQUIPPED WITH DUAL WHEELS, COMPLETE FOR OUTER WHEELS AND MAKE NOTES ON INNER WHEELS.  NOTES:			

Duplicate columns 1-8 Module F T Fo from the previous card.	rmat <u>0 1</u>	FUEL AND FUEL TANKS	FT-1
TYPE OF PROPULSIVE FUEL  (1) GASOLINE (2) DIESEL OIL (3) LPG (4) ELECTRIC (7) OTHER: (9) UNKNOWN	13	AUXILIARY TANK TYPE  (1) OEM TANK (2) AFTER MARKET TANK (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN	21
MAIN TANK LOCATION	122	AUXILIARY TANK LOCATION	888
MAIN FILLER CAP LOCATION	113	AUXILIARY FILLER CAP LOCATION	888
MAIN TANK MATERIAL	1 20	AUXILIARY TANK MATERIAL	8 28
		AR LOCATION CORES	

### TANK AND FILLER CAP LOCATION CODES

FIRST DIGIT (LONGITUDINAL)

- (1) BEHIND KICK-UP
- (2) IN KICK-UP
- (3) BETWEEN KICK-UP & COWL
- (4) FORWARD OF COWL
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

### SECOND DIGIT (LATERAL)

- (1) LEFT OF FRAME
- (2) WITHIN FRAME OR CENTERED
- (3) RIGHT OF FRAME
- (4) DUAL, RIGHT & LEFT TANKS
  (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

### THIRD DIGIT (VERTICAL)

- (1) BELOW FRAME
- (2) WITHIN FRAME OR CENTERED
- (3) ABOVE FRAME
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

### TANK MATERIAL CODES

- (1) STEEL
- (2) ALUMINUM
- (3) PLASTIC
- (7) OTHER
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

Duplicate columns 1-8 from the previous card.

Module F 1 Format 0 1 12

FUEL LEAKAGE

FL-1

### DID FUEL LEAKAGE RESULT FROM A CRASH EVENT

(0) NO KNOWN LEAKAGE SKIP PAGE.

(1) YES COMPLETE PAGE.



	1	II	III	IV	V	
LEAK NUMBER	LEAKING COMPONENT	COMPONENT SOURCE	TYPE OF DAMAGE	SEVERITY OF DAMAGE	LOCATION OF LEAK	EVENT NUMBER
#1	14 15	_		<del>-</del> 62	<u> </u>	21
#2	22 23	<del>-</del>	_	_		29
#3	30 31	_		_	<u> </u>	37
#4	38 39		<del></del>	<del>-</del>	. — —	45
#5	46 47		-	<u> </u>		53

### LEAKING COMPONENT

### TANK AREA

- (11) MAIN FUEL TANK (INCLUDING VAPOR RECOVERY DOME)
- (12) AUXILIARY FUEL TANK
- (13) MAIN TANK FILLER TUBE
- (14) MAIN TANK CAP (GAS CAP)
- (15) AUXILIARY TANK FILLER TUBE
- (16) AUXILIARY TANK CAP (GAS CAP)
- (19) TANK AREA, DETAILS UNKNOWN

### **DELIVERY SYSTEM**

- (21) FUEL FEED LINE (MAIN TANK TO FUEL PUMP)
- (22) FUEL FEED LINE (AUXILIARY TANK TO FUEL PUMP)
- (23) FUEL RETURN LINE (FUEL PUMP TO TANK)
- (24) INLINE FUEL FILTER
- (25) FUEL LINE (PUMP TO CARBURETOR OR INJECTOR PUMP)
- (26) CARBURETOR TO INJECTOR PUMP
- (27) FUEL PUMP
- (29) DELIVERY SYSTEM, DETAILS UNKNOWN

### **EVAPORATIVE EMISSION CONTROL SYSTEM**

- (31) ATMOSPHERIC VENT PIPE (NON-EEC EQUIPPED)
- (32) EEC PIPE (VAPOR CANISTER TO CARBURETOR)

### EEC SYSTEM (CONTINUED)

- (33) VAPOR RECOVERY HOSES (CANISTER TO CARBURETOR)
- (34) LIQUID-VAPOR SEPARATOR (UNLESS PART OF TANK)
- (35) CANISTER
- (39) EEC SYSTEM, DETAILS UNKNOWN
- (49) ENGINE COMPARTMENT, COMPONENT UNKNOWN
- (99) COMPONENT UNKNOWN

### II COMPONENT SOURCE

- (1) OEM
- (2) AFTER MARKET
- (9) UNKNOWN

### III TYPE OF DAMAGE

- (1) DENTED/CRUSHED
- (2) PUNCTURED
- (3) RUPTURED
- (4) SEVERED/GROSS TEARS
- (5) DISCONNECTED/DEFEATED
- (9) UNKNOWN

### IV SEVERITY OF DAMAGE

- (1) MINOR
- (2) MODERATE
- (3) SEVERE
- (4) DISCONNECTED/DEFEATED
- (9) UNKNOWN

### V LOCATION OF LEAK

## FIRST DIGIT (LONGITUDINAL LOCATION)

- (1) F, FORWARD OF COWL
- (2) P. BETWEEN COWL & REAR BULKHEAD
- (3) B, BEHIND REAR BULKHEAD
- (4) Y, F, & P
- (5) Z, P, & B
- (6) D. DISTRIBUTED (F. P & B)
- (9) UNKNOWN

### SECOND DIGIT (LATERAL LOCATION)

- (1) L, LEFT
- (2) C, CENTER
- (3) R. RIGHT
- (4) Y, LEFT CENTER (L & C)
- (5) Z, RIGHT CENTER (R & C)
- (6) D. DISTRIBUTED (F, P & B)
- (9) UNKNOWN

Duplicate columns 1-8 Module F R Format 0 11	1 12	FIRE	FR-1				
WAS THERE FIRE IN OR ON CASE VEHICLE?  (0) NO <u>SKIP PAGE</u> .  (1) YES <u>COMPLETE PAGE</u> .							
DID FIRE START IN CASE VEHICLE?  (0) NO (1) YES (9) UNKNOWN	14	SEVERITY OF FIRE DAMAGE  (1) MINOR (2) MODERATE (3) SEVERE (9) UNKNOWN	16				
FLAME PROPOGATION RATE  (1) RAPID/EXPLOSIVE (2) SLOW/MODERATE (9) UNKNOWN	15	DID AN INJURY TO CASE VEHICLE OCCUPANT RESULT FROM FIRE IN OR ON CASE VEHICLE?  (0) NO (1) YES (9) UNKNOWN	17				

PROVIDE NOTES IF FIRE OCCURRED.

Duplicate columns 1-8 Module E I from the previous card. 9 10	Format 0 1 12	EXTERIOR DAMAGE	ED-1
HOOD PERFORMANCE		STEERING COL FLEXIBLE COUPLING	
FOR THE FOLLOWING, USE CODES:		FLEXIBLE COUPLING TYPE	
(0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN		(0) NONE (1) FLEXIBLE MATERIAL (2) POT (3) SINGLE U-JOINT (4) DOUBLE U-JOINT (5) FLEXIBLE CABLE (6) COMBINATION OF ABOVE (CIRCLE EACH)	9 26
HOOD LATCH(ES)R	ELEASED 13	(7) OTHER: (8) EQUIPPED, TYPE UNKNOWN (9) UNKNOWN, IF EQUIPPED	
-D	AMAGED	COUPLINGDAMAGED	9
مل.	AMMED 3	(USE CODES FROM HOOD PERFORMANCE) -SEPARATE (COMPLETE	9
HOOD HINGESLEFT, DA	AMAGED		
	PARATED OMPLETE)		
-RIGHT, DA	MAGED 18	ENG COMPART TELESCOPING UNIT	
	PARATED OMPLETE) 19	(00) NONE INSTALLED (01) - (07) SEE UNITS ON PAGE ED-2 (88) NOT COLLECTED (97) OTHER: (98) EQUIPPED, TYPE UNKNOWN (99) UNKNOWN IF EQUIPPED	8 8
REAR EDGE OF HOODEI	LEVATED 1	ORIGINAL LENGTH (mm)	
-CONTACTED WIN		F (OR H):	-
-PENETRATED WIN	IDSHIELD 22 3	TELESCOPED LENGTH (mm)	
HOOD LATCH LOCATION		G:	
(1) FRONT OF VEHICLE (2) COWL AREA (3) SIDE (8) NOT APPLICABLE (9) UNKNOWN	24	DIFFERENCE (mm)  F (OR H) - G  (IF LESS THAN 15mm, ENTER *000*.)	
ENGINE OR TRANSMISSION MC SEPARATION (COMPLETE)  (0) NO (1) YES (9) UNKNOWN	DUNT OUNT	(888) NOT COLLECTED (991) NOT MEASURED/NO COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8


		EXTERIOR DAMAGE	ED-2
LEFT-SIDE BODY MOUNT DID BODY MOUNT SEPARATE?  (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>8</u>	LEFT DOORS  HOW DID DOORS OPEN DURING COLLISION?	
LEFT PILLARS  PILLARS SEPARATED COMPLETELY -  USE CODES:  (0) NO (1) YES (4) NO SEPARATION, BUT DAMAGED (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN  -A-PILLAR, UPPER	Ø 35	USE CODES:  (0) DOOR DID NOT OPEN  OPENED BECAUSE OF  (1) HINGE AREA SEPARATION (2) DOOR-LATCH SEPARATION (3) LATCH-STRIKER SEPARATION (4) STRIKER-PILLAR SEPARATION (5) BODY DISTORTION (6) COMBINATION OF ABOVE (CIRCLE EACH) (7) OPENED, REASON UNKNOWN  (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	ν <sub>1</sub>
-B-PILLAR, UPPER	36	-REAI  DOORS JAMMED CLOSED-	3 8
LOWER -C-PILLAR, UPPER	<b>Q</b> 38 39	USE CODES:  (0) NO (1) YES (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	
LOWER	8	-FRO	Ž
-D-PILLAR, UPPER . LOWER	\\ \frac{\chi}{\chi} \\ \frac{\chi}{\alpha} \		

		EXTERIOR DAMAGE	ED-3
REAR DOOR  REAR DOOR TYPE  (0) NO DOOR (INCLUDES PICKUPS) (1) HATCHBACK (2) ONE-WAY TAILGATE (3) TWO-WAY TAILGATE (4) CLAMSHELL/DISAPPEARING TAILGATE (5) SINGLE DOOR (6) DOUBLE DOOR (9) UNKNOWN  Hatchback	47	OTHER REAR DAMAGE  WAS PARTITION TO LUGGAGE AREA DAMAGED DURING COLLISION?  (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN  SPARE TIRE  (0) NO SPARE TIRE (1) NOT ATTACHED BEFORE COLLISION (2) ATTACHED, NOT SEPARATED IN COLLISION (3) ATTACHED, SEPARATED DUE TO COLLISION (6) NOT COLLECTED (9) UNKNOWN	<u>8</u> 51
Two-way  Clamshell  Single door  Double door  HOW DID DOOR OPEN DURING COLLISION?		TRAILER HITCH TYPE  (0) NO HITCH  BALL-AND-SOCKET TYPES  (1) TEMPORARY FRAMEWORK (E.G. RENTAL CLAMP-ON)  (2) BUMPER-MOUNT ONLY (E.G. LIGHT TRUCK)  (3) BUMPER-AND-FRAME (BUT NON-EOUALIZING)  (4) LOAD EQUALIZING  OTHER TYPES  (5) RING-AND-PINTLE  (6) FIFTH-WHEEL (INCL. P/U)  (7) OTHER (E.G. CLEVIS-AND-PIN)	<b>₽</b> 52
(0) DOOR DID NOT OPEN (atch)  OPENED BECAUSE OF Separation  (1) HINGE AREA SEPARATION (2) DOOR-LATCH SEPARATION (3) LATCH-STRIKER SEPARATION (4) STRIKER-PILLAR SEPARATION (5) BODY DISTORTION (6) COMBINATION OF ABOVE (CIRCLE EACH) (7) OPENED, REASON UNKNOWN  (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN  DOOR JAMMED CLOSED  (0) NO (1) YES (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	<b>7</b> 45 <b>0</b> 49	(8) EQUIPPED, TYPE UNKNOWN (9) UNKNOWN IF EQUIPPED  TRAILER TYPE (AT TIME OF COLLISION)  (0) NO TRAILER (1) TRAVEL-TRAILER/CAMPER (2) MOBILE HOME (3) BOAT/SNOWMOBILE/ATV TRAILER (4) UTILITY TRAILER (5) TOWED CAR (7) OTHER: (8) TRAILER, TYPE UNKNOWN (9) UNKNOWN	<u>sa</u>

		EXTERIOR DAMAGE	ED-4
RIGHT-SIDE BODY MOUNT DID BODY MOUNT SEPARATE?  (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<b>8</b> 2 2	RIGHT DOORS HOW DID DOORS OPEN DURING COLLISION? USE CODES:	
RIGHT PILLARS  PILLARS SEPARATED COMPLETELY -  USE CODES:  (0) NO (1) YES (4) NO SEPARATION, BUT DAMAGED (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN		(00) DOOR DID NOT OPEN  OPENED BECAUSE OF  (01) HINGE AREA SEPARATION (02) DOOR-LATCH SEPARATION (03) LATCH-STRIKER SEPARATION (04) STRIKER-PILLAR SEPARATION (05) BODY DISTORTION (06) COMBINATION OF ABOVE (CIRCLE EACH) (07) OPENED, REASON UNKNOWN (11) VAN RIGHT-REAR DOOR OPENED (ANY MECHANISM)	
-A-PILLAR, UPPER	55	(98) NOT APPLICABLE (NO DOOR) (99) UNKNOWN -FRONT	QQ
LOWER -B-PILLAR, UPPER	<b>2</b>	-REAR	$\frac{9}{65}$
LOWER	<u>Ø</u> ₅s	DOORS JAMMED CLOSED- USE CODES:  (0) NO	
-C-PILLAR, UPPER	\$ 59	(1) YES (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	0
LOWER	8 =	-FRONT	N   2   8   8
-D-PILLAR, UPPER	<b>8</b> €1		68
LOWER	8 2	VAN REAR DOOR TYPE  (0) VAN, NO REAR DOOR (1) TRACK (SLIDING) - RIGHT SIDE (2) SINGLE-HINGED - RIGHT SIDE (3) DOUBLE-HINGED - RIGHT SIDE (4) TRACK (SLIDING) - RIGHT & LEFT SIDE (5) SINGLE-HINGED - RIGHT & LEFT SIDE (6) DOUBLE-HINGED - RIGHT & LEFT SIDE (7) TRACK AND HINGED COMBINATION (8) NOT APPLICABLE (NOT A VAN) (9) UNKNOWN	8 69

		EXTERIOR DAMAGE	ED-5
WINDSHIELD DAMAGE		WINDSHIELD MARK ON CASE VEHICLE:	
WINDSHIELD CRACKED  (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	70		l 100
WINDSHIELD BROKEN (PLASTIC INTERLAYER TORN)  (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	$Q_{\overline{n}}$	SAFTY GE FLO-	ше
CRACKED OR BROKEN BY OCCUPANT CONTACT  (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN		WINDSHIELD CODE  (97) DESCRIBED BUT NOT CODED	97
EXTENT OF BOND SEPARATION  (0) NONE	0	(98) NOT APPLICABLE (NO WINDSHIELD) (99) UNKNOWN	74 75
(1) 1-20% (2) 21-40 (3) 41-60 (4) 61-80 (5) 81-99 (6) TOTAL (7) SEPARATED, AMOUNT UNKNOWN (8) NOT APPLICABLE (9) UNKNOWN	73	POOF  DID T-ROOF/SUN ROOF OPEN DURING COLLISION?  (0) NO (1) YES (8) NOT APPLICABLE (NOT A T-ROOF OR SUN ROOF)	L 76

LOCATE AREA OF WINDSHIELD INTEREST OR DAMAGE WITH DIMENSIONS (VERTICAL & HORIZONTAL) ON THIS DIAGRAM OF THE WINDSHIELD AS VIEWED FROM <u>INSIDE</u>.



<u>68</u>


<u>83</u>

68 R

Duplicate columns 1-8 from the previous card.  Module S C Format	1 1 12	STEERING WHEEL AND COLUMN	SC-1 
STEERING WHEEL		STEERING WHEEL POSITION AT TIME OF COLLISION	
STEERING WHEEL RIM DAMAGE  (0) NONE (1) DEFORMED SLIGHTLY (2) SEVERELY BENT (3) BROKEN (9) UNKNOWN	13	IN WHAT O'CLOCK POSITION WAS THE NORMAL TOP OF THE WHEEL POINTED WHEN THE COLLISION OCCUPRED?  EXAMPLES  O'CLOCK = 1, 2  O'CLOCK = 1, 2	
NUMBER OF STEERING WHEEL SPOKES (9) UNKNOWN	4	(NORMAL STRAIGHT AMEAD) O'CLOCK - 99	
STEERING WHL SPOKE DAMAGE  (0) NONE (1) DEFORMED SLIGHTLY (2) SEVERELY BENT (3) BROKEN (9) UNKNOWN	15	STEERING WHEEL ENERGY ABSORBING DEVICE  (1) EXAMPLES:  BARRACUDA, 70 - 74 CHALLENGER, 70 - 74 CAPRI, 71 - 77	
STEERING COLUMN OPTIONS		(2) EXAMPLES:  CMINI, 78 -  HORIZON, 78 -	Y
TILT FEATURE  (0) NOT EQUIPPED (1) YES, EQUIPPED, UNK POSITION (2) UP (3) MIDDLE (4) LOWER (9) UNKNOWN IF EQUIPPED	<u>2</u>	TYPE OF DEVICE  (0) NONE (1) CONVOLUTED OR MESH CYLINDER (2) DEEP DISH STEERING WHEEL (7) OTHER: (8) NOT COLLECTED (9) UNKNOWN IF EQUIPPED	8 19
SWING-AWAY FEATURE  (0) NOT EQUIPPED  (1) YES, EQUIPPED  (9) UNKNOWN IF EQUIPPED	٣	ORIGINAL DIMENSION (mm )  A:  DAMAGE DIMENSION (mm)  B:  DIFFERENCE (mm)	
TELESCOPING FEATURE  (0) NOT EQUIPPED  (1) YES, EQUIPPED  (9) UNKNOWN IF EQUIPPED	<b>Q</b> ₁ª	A - B  (888) NOT COLLECTED  (991) NOT MEASURED/NO APPARENT COMPRESSION  (992) COMPRESSED, AMOUNT UNKNOWN  (993) DEVICE EXTENDED  (997) UNABLE TO MEASURE  (998) NOT APPLICABLE (NOT EQUIPPED)  (999) UNKNOWN	8 8

		STEERING WHEEL AND COLUMN	SC-2
STEERING COLUMN	İ	STEERING WHEEL (CONTINUED)	i
ENERGY ABSORBING DEVICE		,	
TYPE OF DEVICE * (IF 27 OR 28)		STEERING WHEEL HUB DAMAGE	ļ
(00) NOT EQUIPPED (88) NOT COLLECTED (99) UNKNOWN	8 8 23 24	(0) NONE (1) OCCUPANT CONTACT (2) AIRBAG	$\frac{33}{0}$
ORIGINAL LENGTH (mm)		(3) OTHER (9) UNKNOWN	
C:		·	
COMPRESSED LENGTH (mm)			
D:			
BRACKET DEFLECTION (IF CODE 36, 48, OR 49 ABOVE)			
COMPRESSION (OR EXTRUSION) (mm)			
C - D (OR E) (TOLERANCE: ±10)			
(888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8 25 27		
* (ADD A & B FOR TOTAL COMPRESSION)			
SHEAR CAPSULE SEPARATION (mm)			
S (USE AVG. OF LEFT & RIGHT CAPSULES.)			
RT:			
(888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT SEPARATION (992) SEPARATED, AMOUNT UNKNOWN (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8	•	
COLUMN VERTICAL ROTATION	,		
(0) NO APPARENT ROTATION (1) UPWARD APPARENT ROTATION (2) DOWNWARD APPARENT ROTATION (9) UNKNOWN	$\Phi$		
COLUMN LATERAL ROTATION			
(0) NO APPARENT ROTATION (1) LEFT APPARENT ROTATION (2) RIGHT APPARENT ROTATION (9) UNKNOWN	$\frac{\Psi}{\overline{z}}$		

						INTRUSIO	ON IT-1
					(All Measurements Are in Centimeters)		Dominant
Location Intrusion	of 1	Intruded	Component	Compari Value	son intruded - Value = i	ntrusion	Crush Direction
/3		Floor	Pan	31	- <del>\</del> \ ( =	10	υp
		Floor (buckled	j				-
					_ =		
					- =		
					_ =		
					_ =		
					- =		
					- =		
					- =		
					=		
					= =		
					<del>-</del> =		
					_ =		
					- =		· · · · · · · · · · · · · · · · · · ·
					- =		
			0	CCUPANT C	ONTACT WORKSHEET		
	Co	Interior emponent	Occupant No. if	Body Region	0	·	Confidence Level of Contact
Contact	C	ontacted	Known	if Known	Supporting Physical Ev	/idence	Point
A							
В		:					
С							
D							
E							
F	_				<u> </u>		-
G							
Н	_	· · · · · · · · · · · · · · · · · · ·					
1	_					<del></del>	
J							



#### INTRUSION IT-3

#### CODES FOR COLUMN B, OCCUPANT SPACE NUMBER

OCCUPANT SPACE NUMBER IS A TWO-DIGIT CODE. THE USE OF THE CODE IS DETERMINED BY THE VEHICLE SEAT CONFIGURATION AT THE TIME OF THE ACCIDENT.

#### **FIRST DIGIT**

THE FIRST DIGIT (LEFT DIGIT) DENOTES THE SEAT ROW, WITH CODE VALUES FROM 1 TO 5.

#### SECOND DIGIT

THE SECOND DIGIT (RIGHT DIGIT) DENOTES THE POSITION ON THE SEAT AND, IN SOME INSTANCES, THE WIDTH OF THE SEAT.

(1)	LEFT	(3)	RIGHT	•••••	•••••	••••••	••••••	INDIVIDU	JAL SEAT	
(1)	LEFT	(2)	CENTER	(3)	RIGHT		••••••	BENCH:	FULL WIDTH 3 PA	SSENGER
(1)	LEFT		LEFT CENTER		RIGHT (3) CENTER	RIGHT	******************	BENCH:	FULL WIDTH 4 PA	ASSENGER
(1)	LEFT	(2)	CENTER	(5)	RIGHT & AISLE SPACE	•••••••	••••••	BENCH:	PARTIAL WIDTH,	LEFT
	LEFT & SPACE	(2)	CENTER		RIGHT & SPACE	••••••••	•••••••••••••••••••••••••••••••••••••••	BENCH:	PARTIAL WIDTH,	CENTERED
(4)	ENTIRE	/EH	ICLE WIDTH			•••••	•••••	CARGO	AREA	

#### **EXAMPLES**

THE TWO FIGURES BELOW PROVIDE EXAMPLES OF THE OCCUPANT SPACE NUMBER.

PASSENGER CAR 5 PASSENGERS

VAN 12 PASSENGER CAPACITY

X			X	11			13	
x	X	X				21	22	25
X	X	X				31	32	<i>3</i> 5
x	x	X	X	41	42	46	43	

#### CODES FOR COLUMN F, MEASUREMENT AXIS

(X) X-AXIS (FORE & AFT)

(Y) Y-AXIS (LATERAL)

(Z) Z-AXIS (VERTICAL)

#### CODES FOR COLUMNS G, H, I & J, OCCUPANT & INJURY NUMBERS

OCCUPANT	INJURY	•
NUMBER	NUMBER	CONTACT
(00)	(00)	NO CONTACT
(##)	(00)	CONTACT, NO INJURY
(97)	(99)	CONTACT, OCCUPANT UNKNOWN, INJURY UNKNOWN
(99)	(00) OR (99)	UNKNOWN IF CONTACT

#### INTRUSION IT-4

#### CODES FOR COLUMN C, INTRUDING COMPONENT OR OBJECT

NOTE: DO NOT CODE OBJECTS OTHER THAN COMPONENTS OF CASE VEHICLE.

#### INDIVIDUAL COMPONENT

#### GROUPED FOR MASSIVE INTRUSION INTO AN OCCUPANT SPACE

#### INTERNAL

- (01) INSTRUMENT PANEL
- (02) FIRE WALL
- (03) TOE PAN
- (04) FLOOR PAN
- (05) STEERING COLUMN
- (06) WINDSHIELD
- (07) WINDSHIELD HEADER
- (08) A-PILLAR
- (09) DOOR PANEL OR SIDE PANEL
- (10) WINDOW FRAME
- (11) B-PILLAR
- (12) C-PILLAR
- (13) D-PILLAR
- (14) ROOF SIDE RAILS
- (15) ROOF OR CONVERTIBLE TOP
- (16) BACKLIGHT HEADER
- (17) FRONT SEAT-BACK SURFACE/ SEAT-BACK BACK SURFACE
- (18) SECOND SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (19) THIRD SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (20) FOURTH SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (21) FIFTH SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (22) BACK PANEL/BACK DOOR SURFACE
- (23) SEAT CUSHION SURFACE/EDGE
- (24) CONSOLE
- (25) OTHER (DESCRIBE)
- (26) UNKNOWN INTERNAL SURFACES
- (28) TRANSMISSION TUNNEL (HUMP)
- (29) SIDE FOOTWELL PANEL (KICKPANEL)
- (30) SILL

#### **EXTERNAL**

- (43) HOOD
- (44) OBJECT EXTERNAL TO PASSENGER COMPARTMENT BUT PART OF CASE VEHICLE
- (45) OUTSIDE SURFACE OF CASE VEHICLE
- (46) OTHER (E.G. SPARE TIRE, JACK. DESCRIBE.)
- (49) UNKNOWN EXTERNAL OBJECT

USE ONLY IF ALL THESE COMPONENTS INTRUDED INTO A SINGLE OCCUPANT SPACE.

- (50)WINDSHIELD HEADER A-PILLAR
  - ROOF SIDE RAIL
- (51)INSTRUMENT PANEL A-PILLAR DOOR PANEL
- (52)INSTRUMENT PANEL A-PILLAR WINDSHIELD HEADER
- (53)DOOR PANEL B-PILLAR ROOF RAIL
- (54)DOOR PANEL A-PILLAR ROOF RAIL
- (55)INSTRUMENT PANEL FLOOR PAN A-PILLAR DOOR FRAME
- (56)ROOF RAIL A-PILLAR B-PILLAR WINDOW FRAME
- (57)ROOF RAIL A-PILLAR B-PILLAR C-PILLAR DOOR PANEL
- (58)ROOF ROOF RAIL WINDOW FRAME DOOR PANEL
- (59)BACKLIGHT HEADER ROOF C-PILLAR THIRD SEAT-BACK

- (60) ROOF
  ROOF RAIL
  A-PILLAR
  B-PILLAR
  C-PILLAR
  WINDOW FRAME
  DOOR PANEL
  FLOOR PAN
- (61)INSTRUMENT PANEL TOE PAN WINDSHIELD HEADER A-PILLAR ROOF RAIL WINDOW FRAME DOOR PANEL ROOF
- (62) ROOF ROOF RAIL C-PILLAR WINDOW FRAME FLOOR PAN SECOND SEAT DOOR PANEL
- (63)ROOF RAIL
  ROOF
  B-PILLAR
  WINDOW FRAME
  FLOOR PAN
  DOOR PANEL
  SECOND SEAT
  FRONT SEAT
- (64)ROOF RAIL
  ROOF OR CONVERTIBLE TOP
  A-PILLAR
  B-PILLAR
  WINDOW FRAME
  WINDOW HEADER
- (65)WINDSHIELD WINDSHIELD HEADER ROOF SIDE RAIL
- (66)WINDSHIELD
  WINDSHIELD HEADER
  A-PILLAR

(98)NOT APPLICABLE

(99)UNKNOWN

Duplicate columns 1-8 from the previous card.  Module 1 9	T Format 0 1			INTR	USION	T-5
WAS THERE OCCUPANT COMPA  (0) NO <u>DO NOT</u> ANSWER NEXT OF  (1) YES <u>ANSWER</u> NEXT QUESTION  (9) UNKNOWN <u>SKIP PAGE</u>	13 UESTION. <u>SKIP PAGE</u> .	_	AS INTRUSION  (0) NO <u>COM</u> (1) YES <u>SKI</u>	PLETE PAG		<b>2</b>
Duplicate columns 1-8 Module from the previous card. 9  NOTE: Each line in the table below is a	T Format 0 2 10 11 12 a separate record (card). Dupli	icate columns	1 - 12 for each co	mpleted lir	ne.	į.
CODES FOR	USIONS IN THIS ORDER: LEFT RB, F, G, H, I, J ON PAGE IT RC ON PAGE IT-4		OCCUPANT CO			5. 
INTRUDING AS	D E F SOC. MAXIMUM MAXIMUM VENT INTRUSION INTRUSION NO. X AXIS (cm) Y AXIS (cm)	G MAXIMUM INTRUSION Z AXIS (cm)		I NJURY UMBER	J OCCUPANT NUMBER	K INJURY NUMBER
13-14 15-16 17-18	19 20-21 22-23	24-25	26-27	28-29	30-31	32-33
o 13 04	Ι ΦΦ ΦΦ	10		20	QQ	00
02						
03						
04						
05						
<u> </u>						
0 7	7 INTRUSIONS					
Duplicate columns 1-8 Module 1 from the previous card. 9	T Format 0 3					
NOTE: IF NO SIDE DOOR INTRUSION, SKIP REMAINDER OF PAGE. SIDE DOOR INTRUSION RESULTED FROM			COMPONEN DAMAGE	T :D NT 2	D IN INCRE	
INTRUSION NUMBER CAUSE  CODES FOR CAUSE:	A		 25	,	(0) NONE (1) A-PILLAR	
13 15 (1) DIRECT  IMPACT  16 18 (2) INDUCED  DAMAGE  19 21 (9) UNKNOWN	B	_ _ _	33		(2) B-PILLAR (3) C-PILLAR (4) LATCH/STR (5) HINGES (7) OTHER: (8) NOT APPLI( (9) UNKNOWN	_

Duplicate columns 1-8 from the previous card.

Module <u>|</u> <u>T</u> Format <u>0</u> <u>2</u> 11 12

INTRUSION

IT-6

NOTE: Each line in the table below is a separate record (card).

Duplicate columns 1 - 12 for each completed line.

- ADDITIONAL PAGE -

### INTRUSIONS CODE INTRUSIONS IN THIS ORDER: LEFT TO RIGHT ON ROW; FRONT TO BACK IN VEHICLES. CODES FOR B, F, G, H, I, J ON PAGE IT-3 CODES FOR C ON PAGE IT-4 OCCUPANT CONTACT AND INJURY

A	B OCC.	C INTRUDING COMPONENT	EVENT		F MAXIMUM INTRUSION		H OCCÚPANT	I	J	K
NUMBER	SPACE NO.	OR OBJECT	NO.	X AXIS (cm)	Y AXIS (cm)	Z AXIS (cm)	NUMBER	NUMBER	NUMBER	NUMBER
13-14	15-16	17-18	19	20-21	22-23	24-25	26-27	28-29	30-31	32-33
<u>о в</u>										
0 9										
10						<del></del>				
11			-							
12.										
1 3			_							
14										
15			_							
16										
17										
18										
19			_							
20		-		*****						
21			.—							
2 2										
23	<del>_</del>		_				<del></del>		<del></del>	
24										
			_							
25					<del></del>					

Duplicate columns 1-8 from the previous card.	Modul	ie <u>1</u> <u>D</u>	Format <u>0</u> <u>1</u>	-	IN	TERIOR DAMAGE I	D-1
COL	(1	) NO ) YES ) NO, and	OCCUPANT CONTACT	(8) NO	ES, and ( OT APPL NKNOWN		
SIDES	LEFT	RIGHT	FRONT			INSTRUMENT PANEL	
FRONT DOOR	<u>Q</u>	$ \bar{Q} $	FOOT CONTROLS		<u>Ø</u>	UPPER PANEL	0
FRONT HARDWARE	13 15	$\frac{\overline{14}}{\cancel{0}}$	IGNITION KEYS		<b>Q</b> 45	MID PANEL	9:9:3
FRONT ARMREST	15 17	$\left \begin{array}{c} \overset{16}{\cancel{0}} \\ \frac{18}{18} \end{array}\right $	REAR VIEW MIRROR		<u><u>0</u></u>	LOWER PANEL	3
FRONT GLASS	19	20	SUNVISOR/FITTINGS		Ø	ASHTRAY	<u>⊘</u>
REAR DOOR AREA	<u>Ø</u>		(5) LEFT SIDE ONLY (6) RIGHT SIDE ONLY (7) BOTH SIDES			CONTROL KNOBS & LEVERS	<u>Ø</u>
REAR HARDWARE	<u>Q</u>	<u>Ø</u>	WINDSHIELD TOP MOLDINGS		Q	GLOVE COMPARTMENT AREA	0
REAR ARMREST	<u>                                     </u>	$\frac{Q}{\frac{26}{5}}$			49		<u></u>
REAR GLASS	8	<u>8</u>	LEFT A-PILLAR (UPPER OR LOWER)		<b>Q</b>	INSTRUMENTS	61
Detachable * ROOF SIDE RAIL missing from	9*	<u>Ø</u>	RIGHT A-PILLAR (UPPER OR LOWER)			PARKING BRAKE RELEASE	<u>\$</u>
B-PILLAR					<u>Ø</u>	PARKING BRAKE PEDAL	63
C-PILLAR	8	<u>Ø</u> 8 34	CENTER CONSOLE TRANSMISSION		52	A/C OR UPPER VENT OUTLETS	64
D-PILLAR	8   200   200   8	8 36	SELECTOR LEVER		$\frac{\emptyset}{\mathbb{S}^2}$	HEATER OR A/C DUCTS	Ø 55
HEADLINING	2 5 Q		RIM, HORN, SPOKE		<u>84</u>	RADIO	0 %
ROOF STRUCTURE	<b>Ö</b>					OTHER: *	* CX
T-ROOF/SUN ROOF	1						
OTHER: *	\$	8 4		,		REAR	
						WINDOW	
•						WINDOW HEADER	<u>e</u>
					•	Consoles	
						VERTICAL	
-			•			ROOF	

<sup>\*</sup> MORE THAN ONE ITEM MAY BE NOTED.

Duplicate columns 1-8 from the previous card.  Module S T		2 12	SEATS		ST-1
FRONT SEAT	DRIVER	PASSENT	FRONT SEAT-BACK	DRIVER	Passi
TYPE OF FRONT SEAT  (00) NO SEAT  (01) STANDARD BENCH  (02) SPLIT BACK, 50-50  (03) SPLIT BACK, DRIVER WIDE  (04) SPLIT BACK, PASS. WIDE	<u>Ø5</u>	Ø5 15 16	SEAT-BACK TYPE (1) FORWARD FOLDING (2) RIGID (3) RECLINING	1	
(05) BUCKET (06) CAPTAIN'S CHAIR (07) INDIV. BENCH, 50-50 (08) INDIV. BENCH, DRIVER WIDE (09) INDIV. BENCH, PASS. WIDE			(7) OTHER:	30	31
(97) OTHER: (99) UNKNOWN TYPE OF SEAT MOUNT			SEAT-BACK LOCK TYPE (0) NONE (1) MANUAL		1
(1) STANDARD (2) PEDESTAL (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	17	18	(2) INERTIA (3) POWER (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	32	33
SWIVEL MECHANISM EQUIPPED (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	19	<b>Q</b>	LOCKS HELD (0) NO (1) YES (8) NOT APPLICABLE	34	35
ORIGINAL EQUIPMENT SEATS (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	21	2	(9) UNKNOWN  RECLINER MECHANISM HELD (0) NO		L
CONTACT OF SEAT BY REAR OCCUPANT (0) NO (1) YES (B) NOT APPLICABLE (9) UNKNOWN	8 23	8/2	(1) YES (8) NOT APPLICABLE (9) UNKNOWN	36	37
FRONT SEAT DAMAGE  (0) NONE  (1) BACKREST ONLY DAMAGED  (2) CUSHION ONLY DAMAGED  (3) BACKREST &  CUSHION DAMAGED	<u></u>	<u>D</u>	HEAD RESTRAINT HEAD RESTRAINT TYPE (0) NONE (1) ADJUSTABLE (2) INTEGRAL (3) NOT INTEGRAL, BUT	35	39
(8) NOT APPLICABLE (9) UNKNOWN			CANNOT BE REMOVED (7) OTHER: (8) NOT APPLICABLE		i
CENTER ARMREST DAMAGED  (0) NO (1) YES (7) EQUIPPED, DAMAGE UNKNOWN (8) NOT APPLICABLE (NO CENTER ARMREST)	<u></u>	D	(9) UNKNOWN  REMOVED PRE-CRASH (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	Ø	0
(9) UNKNOWN IF EQUIPPED			ADJUSTMENT AT CRASH (1) UP (2) DOWN	2	3
FRONT SEAT ROTATION  (0) NONE APPARENT (1) FORWARD APPARENT	<u>Ø</u>	<b>Q</b>	(8) NOT APPLICABLE (9) UNKNOWN		_
(1) FORWARD APPARENT (2) REARWARD APPARENT (3) LEFT APPARENT (4) RIGHT APPARENT (5) MULTIPLE ROTATIONS SPECIFY (8) NOT APPLICABLE	28	29	HEAD RESTRAINT DAMAGE  (0) NONE (1) DAMAGED BUT NOT SEPARATED (2) SEPARATED (8) NOT APPLICABLE (9) UNKNOWN	<u>Q</u>	

			Si	EATS	ST-2
FRONT SEAT ADJUSTMENT	DRIVER	PASSENTR	SECOND SEAT (CONT.)		
SEAT ADJUSTMENT TYPE  (0) NONE (RIGID) (1) MANUAL (2) POWER (7) OTHER: (8) NOT APPLICABLE (NO SEAT) (9) UNKNOWN  ADJUSTMENT PROVIDED	2 3		(0) NO (1) YES (7) EQUIPPED, DAMAGE UNKNOWN (8) NOT APPLICABLE (NO CENTER ARMREST) (9) UNKNOWN IF EQUIPPED		8
(1) 2-WAY (2) 4-WAY (3) 6-WAY (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	48	49	SECOND SEAT-BACK LOCKS	LEFT	Яіднт
SEAT ADJUSTER DAMAGE  (0) NONE (1) CHUCKING (FREE PLAY) (2) DEFORMED (RELEASED/JAMMED) (3) SEPARATED (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	<b>@</b>	<b>Q</b>	FOR THE FOLLOWING, USE:  (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN  LEFT OR CENTER, EQUIPPED		Ø
SEAT ADJUSTER SEPARATION  (0) NONE  (1) SEPARATED AT FLOOR  (2) SEPARATION OF ADJUSTER  (3) SEPARATED AT SEAT  (8) NOT APPLICABLE  (9) UNKNOWN	52	8 53	LEFT OR CENTER, EQUIPED  (3) SEAT FOLDED DOWN  RIGHT, EQUIPPED		9 3 - 1 8
PRE-CRASH POSITION  (1) FORWARD (2) MIDDLE (3) REARWARD (8) NOT APPLICABLE (9) UNKNOWN	<u>3</u>	<u>2</u>	RIGHT, HELD (3) SEAT FOLDED DOWN  THIRD SEAT	<u>e</u>	<u>Q</u>
SECOND SEAT  TYPE OF SECOND SEAT  (0) NONE (1) NON-FOLDING (2) FOLDING	LEFT	Right	EQUIPPED  BACKREST DAMAGED  CUSHION DAMAGED	@  *\@  \\	0 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
(3) CAPTAIN'S CHAIR (4) JUMP SEAT (5) INTEGRAL CHILD SEAT (6) LUGGAGE AREA ACCESS PANEL (9) UNKNOWN  SECOND SEAT DAMAGE (0) NONE	56	57	VEHICLE EQUIPPED WITH REAR HEAD RESTRAINTS	73	74
(1) BACKREST ONLY (DAMAGED OR LOOSENED) (2) CUSHION ONLY (DAMAGED OR LOOSENED) (3) BACKREST & CUSHION (DAMAGED OR LOOSENED) (4) INTEGRAL CHILD SEAT (PRIORITY CODE) (5) LUGGAGE AREA ACCESS PANEL (DAMAGED OR LOOSENED) (8) NOT APPLICABLE (9) UNKNOWN	<u>Ø</u>	<u>Ø</u>	(0) NOT EQUIPPED (OR REMOVED) (1) EQUIPPED (2) EQUIPPED & DAMAGED (8) NOT APPLICABLE (NO REAR SEAT) (9) UNKNOWN  Applies to any rear-seat position		<u>D</u>

Duplicate columns 1-8 Module A B Format 0 11	12	AIRBAG .	AB-
DRIVER SIDE		PASSENGER SIDE	:
LOCATION OF AIRBAG		LOCATION OF AIRBAG	
STEERING WHEEL		INSTRUMENT PANEL (GLOVE BOX)	
EQUIPPED		EQUIPPED	
(0) NO	1	(0) NO	
(1) YES (4) PRIOR DEPLOYMENT	13	(1) YES (4) PRIOR DEPLOYMENT	1
NOT REINSTALLED (9) UNKNOWN IF AIRBAG EQUIPPED		NOT REINSTALLED (9) UNKNOWN IF AIRBAG EQUIPPED	
(6) 611111611111111111111111111111111111		(6, 6, 11, 11, 11, 11, 11, 11, 11, 11, 11	
DEPLOYED		DEPLOYED	
(0) NO		(0) NO ·	1
(1) YES (2) PARTIAL/IMPROPER DEPLOYMENT	#	(1) YES (2) PARTIAL/IMPROPER DEPLOYMENT	17
(8) NOT APPLICABLE (NO AIRBAG)		(8) NOT APPLICABLE (NO AIRBAG)	
(9) UNKNOWN		(9) UNKNOWN	
CONDITION OF AIRBAG		CONDITION OF AIRBAG	
STEERING WHEEL		INSTRUMENT PANEL (GLOVE BOX)	
(0) NO DAMAGE		(0) NO DAMAGE	
(2) SPLIT OR TORN (3) CUT DURING CRASH	0	(2) SPLIT OR TORN (3) CUT DURING CRASH	$D \mid$
(4) BURNED/MELTED	15	(4) BURNED/MELTED	10
(5) CUT POST CRASH (6) OTHER		(5) CUT POST CRASH (6) OTHER	
(8) NOT APPLICABLE (NOT EQUIPPED NOT DEPLOYED)		(7) DAMAGED, CONDITION UNKNOWN (8) NOT APPLICABLE (NOT EQUIPPEDNOT DEPLOYED)	
(9) UNKNOWN IF EQUIPPED OR CONDITION		(9) UNKNOWN IF EQUIPPED OR CONDITION	
DRIVER SIDE		PASSENGER SIDE	
AIRBAG STEERING WHEEL		AIRBAG INSTRUMENT PANEL (GLOVE BOX)	
TETHER		TETHER	
		3	1
(0) NO (1) YES	$ \Psi $	(0) NO (1) YES	-
(6) OTHER (7) UNKNOWN IF TETHERED	19	(6) OTHER  (7) UNKNOWN IF TETHERED	21
(8) NOT APPLICABLE  (NO AIRBAG)  (0) HAMAOWAN IS AIRBAG SOLUBBED		(8) NOT APPLICABLE (NO AIRBAG) (0) LINKALOWALE AIRBAG FOLLIBRED	
(9) UNKNOWN IF AIRBAG EQUIPPED		(9) UNKNOWN IF AIRBAG EQUIPPED	
MARKED BY CONTACT		MARKED BY CONTACT	
(0) NO (1) YES	0	(0) NO (1) YES	<b>(</b>
(8) NOT APPLICABLE (NO AIRBAG)	20	(8) NOT APPLICABLE (NO AIRBAG)	22
(9) UNKNOWN	ı	(NO AIRBAG) (9) UNKNOWN	l .

	AIRBAG	AB-2
AIRBAG NUMBER ON DRIVER SIDE:		
NOTE AND DESCRIBE ANY AIRBAG CONTACT OR DAMAGE ON DIAGRAM BELOW:		
	od drops	
AIRBAG NUMBER ON PASSENGER SIDE:		
NOTE AND DESCRIBE ANY AIRBAG CONTACT OR DAMAGE ON DIAGRAM BELOW:		
None copparent		

#### NOTE TO THE INVESTIGATOR:

THE FOLLOWING TWO SECTIONS,
OCCUPANT INFORMATION AND INJURY CLASSIFICATION,
ARE TO BE FILLED IN
FOR EACH CASE VEHICLE OCCUPANT,
WHETHER INJURED OR NOT.

IF THERE IS MORE THAN ONE OCCUPANT,
USE ADDITIONAL COPIES
OF PAGES OC-1, OC-2, OC-3,
AND IC-2 TO DESCRIBE THEM
AND ATTACH THE COPIES TO THIS REPORT.


Duplicate columns 1-8 Module O C Format 0 from the previous card. 9 10 11		OCCUPANT INFORMATION	OC-1
OCCUPANT IDENTIFICATION OCCUPANT NUMBER  ROLE OF OCCUPANT AT 1ST IMPACT  (1) MOTOR VEHICLE DRIVER (2) MOTOR VEHICLE PASSENGER (NOT DRIVER) (9) UNKNOWN	13 14	PHYSICAL DESCRIPTION  AGE IN YEARS  (00) LESS THAN 1 YEAR  (98) 98 YEARS OR OLDER  (99) UNKNOWN  AGE IN MONTHS  (00) LESS THAN 1 MONTH  (25) 25 MONTHS OR OLDER  (99) UNKNOWN	$\frac{1}{20}\frac{8}{21}$ $\frac{2}{22}\frac{5}{23}$
OCCUPANT POSITION  ROW LOCATION  (1) FRONT (2) SECOND (3) THIRD (4) FOURTH (7) OTHER:  (8) EXTERNAL TO PASSENGER COMPARTMENT (E.G. BED OF PICKUP) (9) UNKNOWN	16	MASS (kg)  (999) UNKNOWN  HEIGHT (cm)  (999) UNKNOWN  SEX  (1) MALE  (2) FEMALE  (9) UNKNOWN	$\frac{0}{2^{4}} \frac{32}{25} \frac{2}{26}$ $\frac{1}{27} \frac{7}{28} \frac{3}{29}$ $\frac{1}{30}$
LATERAL LOCATION  (1) LEFT (2) LEFT CENTER (3) CENTER (4) RIGHT CENTER (5) RIGHT (6) ALL (LYING ON SEAT) (8) EXTERNAL TO PASSENGER COMPARTMENT (9) UNKNOWN	17	MEDICAL CONDITIONS  TREATMENT/MORTALITY  (00) NONE  (01) FIRST AID AT SCENE  (02) TREATED AT HOSPITAL/CLINIC  BUT NOT ADMITTED  (03) HOSPITALIZED FOR OBSERVATION  LESS THAN 24 HOURS  (04) HOSPITALIZED OVER 24 HOURS  OR FOR SIGNIFICANT TREATMENT  (05) FATAL, DEAD AT SCENE  (06) FATAL, DOA	<u>Q</u> 2/2
POSTURE  (10) SITTING ON SEAT  (11) SITTING ON SEAT IN ABNORMAL POSITION (E.G. FEET ON DASH, SIDEWAYS)  (12) SITTING ON CONSOLE  (20) ON LAP OR IN ARMS  (30) STANDING ON SEAT  (40) STANDING ON FLOOR  (47) STANDING, EXTERNAL TO PASSENGER COMPARTMENT  (50) IN BASSINET  (60) IN CHILD SEAT  (65) IN CHILD HARNESS  (70) LYING ON SEAT  (80) LYING/SITTING ON PASSENGER FLOOR  (83) LYING/SITTING ON OTHER  OBJECT IN PASSENGER  COMPARTMENT:  (85) ON CARGO FLOOR/FOLDED  SEAT-BACK  (87) LYING/SITTING, EXTERNAL TO PASSENGER COMPARTMENT  (97) OTHER:	18 19	(07) FATAL, DEAD WITHIN 24 HOURS (08) FATAL, DEAD 24 HOURS TO 31 DAYS LATER (09) FATAL, DEAD 31 DAYS TO 1 YEAR LATER (10) FATAL DEAD WITHIN UNKNOWN PERIOD (99) UNKNOWN  INJURY SEVERITY SCORE (ISS) (99) UNKNOWN  NON-IMPACT MED. CONDITIONS (0) NONE (1) YES, TIME & TYPE UNKNOWN (2) PRE-CRASH FATAL (CLINICAL DEATH AT WHEEL) (3) PRE-CRASH NON-FATAL (E.G. PRIOR INJURY, STROKE) (4) PREGNANT (5) POST-CRASH FATAL (DROWNING) (6) POST-CRASH NON-FATAL INJURY (7) OTHER: (8) COMBINATION OF ABOVE (CIRCLE EACH)	$\frac{0}{2} \frac{2}{3}$ $\frac{2}{3}$ $\frac{2}{3}$

		OCCUPANT INFORMATION	OC-2
MEDICAL CONDITIONS (CONT.)  POLICE INJURY SEVERITY CODE FOR THIS OCCUPANT  (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO IMPACT (7) NON-FATAL INJURY, SEVERITY UNKNOWN (9) UNKNOWN	3	CHILD SEAT TYPE  (00) NONE USED (01) YES, USED (02) INTEGRAL, Chrysler Mini-van (88) NOT APPLICABLE (ADULT OR OLDER CHILD) (99) UNKNOWN  CHILD SEAT MAKE/MODEL	8 8
ACTIVE RESTRAINT SYSTEM  (0) NONE (1) LAP BELT (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (9) UNKNOWN  ACTIVE RESTRAINT SYSTEM USAGE  (0) NONE (AVAILABLE BUT NOT USED) (1) LAP BELT ONLY (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (7) IMPROPER USAGE (8) NOT APPLICABLE (NONE AVAILABLE) (9) UNKNOWN  PASSIVE RESTRAINT SYSTEM  (0) NONE (1) AIRBAG INSTALLED (2) PASSIVE UPPER TORSO WITH KNEE BOLSTERS (3) PASSIVE UPPER TORSO WITHOUT KNEE BOLSTERS (4) PASSIVE LAP & UPPER TORSO (5) AIRBAG INSTALLED & PASSIVE RESTRAINT (7) OTHER: (9) UNKNOWN  PASSIVE RESTRAINT SYSTEM USAGE  (0) SYSTEM DEFEATED (1) AIRBAG NOT DEPLOYED (2) AIRBAG DEPLOYED (3) AIRBAG NOT REINSTALLED	337	EJECTION  (0) NONE (1) PARTIAL (2) COMPLETE (7) EJECTED, DEGREE UNKNOWN (9) UNKNOWN IF EJECTED  AREA OF EJECTION  (01) WINDOW, LEFT SIDE (02) WINDOW, RIGHT SIDE (03) WINDOW, REAR (04) DOOR, LEFT SIDE (05) DOOR, RIGHT SIDE (06) DOOR, REAR OR TAILGATE (07) WINDSHIELD (08) ROOF OR OPEN CONVERTIBLE OR FROM EXTERNAL AREA (96) EJECTED AREA UNKNOWN (97) OTHER AREA: (98) NOT APPLICABLE (NOT EJECTED) (99) UNKNOWN IF EJECTED	9 %
(3) AIRBAG NOT HEINSTALLED (4) PASSIVE UPPER TORSO USED (5) PASSIVE LAP & UPPER TORSO USED (6) SYSTEM USED IN MANUAL MODE (7) IMPROPER USAGE (8) NOT APPLICABLE (NOT ORIGINALLY EQUIPPED) (9) UNKNOWN	40	HEAD RESTRAINT AVAILABLE FOR THIS POSITION  (0) NOT EQUIPPED OR REMOVED (1) EQUIPPED (9) UNKNOWN	<u>L</u>

# OCCUPANT EYEWEAR (0) NONE (1) GLASSES (2) CONTACTS (3) BOTH GLASSES AND CONTACTS (4) OTHER (8) NOT APPLICABLE (9) UNKNOWN OCCUPANT INFORMATION (0) INTERVIEW (1) INTERVIEW (2) AUTOPSY (3) POLICE (4) OTHER (5) LAY CORONER/EXTERNAL EXAM (7) COMBINATION OF ABOVE (CIRCLE) (8) NOT APPLICABLE (9) UNKNOWN

#### OCCUPANT INFORMATION OC-4

#### INDICATE LOCATION OF INJURIES.



Duplicate columns 1-8 from the previous card.

Module | C Format 0 1 12

INJURY CLASSIFICATION IC-1

NOTE: Each line in the table below is a separate record (card). Duplicate columns 1 - 12 for each completed line.


_	. ^
<b>A</b>	INJURY CLASSIFICATION
	IN HIDVI JACCIEMATIAN

						PRIM	ARY C	DIC		A	SSOC	IATE	OIC	!	COMMENTS
OCCUPANT NUMBER	INJURY NUMBER	PROBAB START V IN 1ST C	ILITY (HORI VITH MOST ONTACT AF	N ORDER OF IZONTALLY) PROBABLE REA COLUMN. ILE CONTACT	BODY REGION 1	ASPECT N	LESION 3	SYSTEM/ORGAN &	SEVERITY 10	BODY REGION 1	ASPECT N	C MOISET	SYSTEMORGAN &	SEVERITY 45	
13-14	15-16	17-18	19-20	COMMENTS	21	22	23	24	25	26	27	28	29	30	
ØL	ΦI	25			F	5	<u>_</u>	I	1	_		_	_	-	
1	02	<u>5a</u>			B	R	L	I	1	_	_	_	_	_	
	<b>Q</b> 3	98			B	Ī	<u>T</u> .	M	1	_		_			
	04	<u>53</u>			E	L	L	I	1				_		
	05	52			W	L	L		1						
	42	£, 3			-					_	_	_	_		
					-		<u>-</u>		<u> </u>	-		_			
					-		_		_	-	_		-	_	
ا ن <u>و</u>					-		_	_	-	_			_	-	
"Occupant Number" for each line.					-	_	_	_	_	_	_			_	. <del>-</del>
umber" fe					-		_	_	_	-	_	_	_	_	
upant Ni					_	_	_	_	_	_	_	-		_	
-					· · —			_	_	-	_	_		_	
Duplicate					· -	_	_		·_	_		_	_	_	
					_	_		_	_	_			_		
				•	_		_			_			_		
					:		_	_	_	_		_	_	_	
					:							_	_		
					-			_		-	_	_			
1					-	_	_	_	_	-	_				

#### INJURY CLASSIFICATION IC-2

#### CODES FOR AREAS OF POSSIBLE OCCUPANT CONTACT

FRONT	OF PASSENGER COMPARTMENT	SIDES	
(10)	SUNVISOR, FITTING(S) &/OR TOP MOLDING	(20)	SURFACE OF SIDE INTERIOR
(12)	WINDSHIELD	(19)	HARDWARE ON SIDE OR DOOR
(/		(13)	ARMREST ON SIDE OR DOOR
(05)	INSTRUMENT PANEL (SPECIFIC AREA UNKNOWN)	(24)	COAT HOOK
(54)	UPPER INSTRUMENT PANEL (X)	(24)	·
	- · · · · · · · · · · · · · · · · · · ·	(00)	WILLIAM OF VOICE
(55)	MIDDLE INSTRUMENT PANEL (Y)	(22)	WINDOW GLASS (SIDE)
(56)	LOWER INSTRUMENT PANEL (Z)	(21)	WINDOW FRAMES (SIDE)
(81)	ASH TRAY (INSTRUMENT PANEL)		
(02)	GLOVE COMPARTMENT AREA	(26)	ROOF SIDE RAIL
(47)	AIRBAG (ACRS) COMPARTMENT DOOR/COVER	(14)	A-PILLAR
		(15)	B-PILLAR
(57)	BENEATH INSTRUMENT PANEL	(16)	C-PILLAR
(53)	PARCEL TRAY	(17)	D-PILL'AR
(48)	KNEE RESTRAINT	V7	
(86)	VERTICAL CONSOLE	FLOOR	
(55,		(40)	FLOOR
(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)	(27)	CONSOLE ON FLOOR OR BETWEEN SEATS
(20)	1001 CONTINUES (INCL PARKING BRAKE PEDAL)	• •	
(00)	CTEERING ACCELION V (CRECIFIC ACCA LIMICAIOMAI)	(44)	
(09)	STEERING ASSEMBLY (SPECIFIC AREA UNKNOWN)	(85)	
(65)	STEERING WHEEL	(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)
(66)	STEERING WHEEL COLUMN	(91)	KICKPANEL
(59)	TRANSMISSION LEVER ON COLUMN	_	
		Roof	
(03)	HARDWARE ITEM (SPECIFIC AREA UNKNOWN)	(25)	ROOF OR CONVERTIBLE TOP
(82)	INSTRUMENT(S)	(10)	SUNVISOR, FITTING(S) &/OR TOP MOLDING
(83)	CONTROL KNOB(S) & LEVER(S) (FRONT)		ROOF SIDE RAIL
(84)	PARKING BRAKE HANDLE IN FRONT	• • •	COAT HOOK
(67)	IGNITION KEY		DOME LIGHT
	MIRROR	• •	
(06)		** **	BACKLIGHT HEADER
(04)		(68)	
(01)	AIR CONDITIONING OR VENTILATION OUTLET(S)	(69)	ROLL BAR
(08)	RADIO (BUILT IN)	_	
(58)	ADD-ON TAPE DECK, RADIO, A/C	EXTERIO	OR SURFACE OF CASE VEHICLE
(68)	ROOF MOUNTED CONTROLS/CONSOLES	(37)	OUTSIDE SURFACE OF CASE VEHICLE
			(SPECIFIC AREA UNKNOWN)
REAR		(35)	HOOD OF CASE VEHICLE
	SURFACE OF REAR INTERIOR	(60)	EXTERIOR OF CASE VEHICLE (E.G.
	REAR WINDOW	(55)	OUTSIDE MIRRORS, ANTENNA, TRIM)
(39)		/ca\	EXTERIOR SIDE ROOF RAIL OF CASE VEHICLE
	REAR SEAT CUSHION & BACK	(62)	
(50)	HEAR SEA! CUSHION & DACK	(63)	TRUNK LID OF CASE VEHICLE
	Canan	(64)	TIRES OF CASE VEHICLE
	R-GENERAL		- ··· -
	TRANSMISSION SELECTION LEVER (LOCATION UNK.)		CASE VEHICLE BOUNDARY
(59)	TRANSMISSION LEVER ON STEERING COLUMN	(36)	AREA EXTERIOR TO CAR (SPECIFIC AREA UNK.)
(44)	TRANSMISSION LEVER ON FLOOR OR CONSOLE	(70)	HOOD OF OTHER VEHICLE
(07)	PARKING BRAKE HANDLE (LOCATION UNKNOWN)	(71)	OTHER VEHICLE EXTERIOR HARDWARE (E.G.
(84)	PARKING BRAKE HANDLE IN FRONT	, ,	OUTSIDE MIRRORS, ANTENNA, TRIM)
(85)	PARKING BRAKE HANDLE ON FLOOR OR CONSOLE	(73)	EXTERIOR SIDE ROOF RAIL OF OTHER VEHICLE
(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)	(74)	HEADLIGHT OR FRONT GRILL OF OTHER VEH.
1.50,	, , , , , , , , , , , , , , , , , , , ,	(75)	TRUNK OF OTHER VEHICLE
(20)	FRONT SEAT-BACK(S)	•	
	FRONT SEAT CUSHION	(76)	OUTSIDE SURFACE OF OTHER VEHICLE
		. (77)	TIRES OF OTHER VEHICLE
	REAR SEAT CUSHION & BACK	(78)	GROUND
	ARMREST ON SEAT	(79)	WATER
(89)	UNDER SEAT BOTTOM	(80)	EXTERIOR OBJECT (NOT VEHICLE, GROUND,
			OR WATER. PLEASE DESCRIBE.)
(33)	RESTRAINT SYSTEM HARDWARE		
(34)	RESTRAINT SYSTEM WEBBING	PENETRA	ATING OBJECTS
(87)	AIR CUSHION SKIN (AIRBAG)		OTHER VEHICLE
	AIRBAG (ACRS) COMPARTMENT DOOR/COVER		OBJECTS (DESCRIBE)
(46)	AIRBAG GAS	\/	
(48)		MISCELL	ANEOUS
	HEAD RESTRAINT		
(30)	_ · · · · · _ · · · · · · · · · · ·		NO CONTACT (INVALID FIELD FORM CODE)
(42)		1	OTHER (E.G. FIRE. DESCRIBE)
(43)		(90)	
	INTERIOR LOOSE OBJECT	• •	INDUCED
(32)		(97)	EJECTED, UNKNOWN CONTACT
(52)	INTERNAL FLYING GLASS (FROM ANY SOURCE)	(98)	IMPACT FORCE, "WHIPLASH",
(41)	UNKNOWN INTERIOR SURFACE	_	HYPEREXTENSION/COMPRESSION
		(99)	UNKNOWN AREA OF CONTACT



#### INJURY CLASSIFICATION IC-4

#### CODES FOR OCCUPANT INJURY CLASSIFICATION (OIC)

•		
- 1	DODV	REGION
1	וטטם	<b>NEGION</b>

- (H) HEAD/SKULL
- (F) FACE
- (N) NECK
- (S) SHOULDER
- (X) UPPER EXTREMITIES
- (A) ARM (UPPER)
- (E) ELBOW
- (R) FOREARM
- (W) WRIST/HAND
- (C) CHEST
- (M) ABDOMEN
- (B) BACK
- (P) PELVIC/HIP
- (Y) LOWER EXTREMITIES
- (T) THIGH
- (K) KNEE
- (L) LEG (LOWER)
- (Q) ANKLE/FOOT
- (O) WHOLE BODY
- (U) UNKNOWN

#### 3 LESION

- (L) LACERATION
- (C) CONTUSION
- (A) ABRASION
- (F) FRACTURE
- (P) PERFORATION, PUNCTURE
- (K) CONCUSSION
- (V) AVULSION
- (R) RUPTURE
- (S) SPRAIN
- (D) DISLOCATION
- (N) CRUSH
- (M) AMPUTATION
- (B) BURN
- (G) DETACHMENT, SEPARATION
- (Z) FRACTURE AND DISLOCATION
- (T) STRAIN
- (E) TOTAL SEVERANCE, TRANSECTION
- (O) OTHER
- (U) UNKNOWN

#### 4 SYSTEMORGAN

- (S) SKELETAL
- (V) VERTEBRAE
- (J) JOINTS
- (D) DIGESTIVE
- (L) LIVER
- (N) NERVOUS SYSTEM
- (B) BRAIN
- (C) SPINAL CORD
- (E) EARS
- (O) EYES
- (A) ARTERIES
- (H) HEART
- (Q) SPLEEN
- (G) UROGENITAL
- (K) KIDNEYS
- (R) RESPIRATORY
- (P) PULMONARY/LUNGS
- (M) MUSCLES
- (T) THYROID, OTHER ENDOCRINE GLAND
- (I) INTEGUMENTARY (SKIN)
- (W) ALL SYSTEMS IN REGION
- (U) UNKNOWN

#### 2 ASPECT

- (R) RIGHT
- (L) LEFT
- (B) BILATERAL
- (C) CENTRAL
- (A) ANTERIOR/FRONT
- (P) POSTERIOR/BACK
- (S) SUPERIOR/UPPER
- (I) INFERIOR/LOWER
- (W) WHOLE REGION
- (U) UNKNOWN

## SEVERITY IN SYSTEM/ORGAN 4 LESION IN ASPECT IN BODY REGION IN

#### 5 SEVERITY (OR \*AIS\*, ABBREVIATED INJURY SCALE)

- (0) NONE
- (1) MINOR
- (2) MODERATE
- (3) SERIOUS
- (4) SEVERE
- (5) CRITICAL
- (6) MAXIMUM
- (9) UNKNOWN

















5/31-98 #













31-98 #14

























-90 ,





11-20 N

















PN 3731-98 #3